

CITY OF BUFFALO
NEW YORK

DEPARTMENT OF ADMINISTRATION, FINANCE, POLICY & URBAN AFFAIRS
DIVISION OF PURCHASE
65 NIAGARA SQUARE, ROOM 1901 CITY HALL
BUFFALO NY 14202
PHONE (716) 851-5222 FAX (716) 851-5231

SPECIFICATIONS
FOR
POLICE UNIFORMS
FOR THE
DEPARTMENT OF POLICE

DATE ISSUED: APRIL 13, 2017

Questions accepted until: APRIL 21, 2017 at 4:00 P.M.

Via email only to: mcbarker@city-buffalo.com

Questions posted to City of Buffalo website by
APRIL 28, 2017 by 4:00 P.M.

**PRE-BID CONFERENCE: MAY 5, 2017 at 11:00 A.M.
AT THE DIVISION OF PURCHASE
65 NIAGARA SQUARE, ROOM 1901**

BID OPENING DATE: MAY 19, 2017 AT 10:30 A.M.

CITY OF BUFFALO
DEPARTMENT OF ADMINISTRATION, FINANCE, POLICY & URBAN AFFAIRS
DIVISION OF PURCHASE
65 NIAGARA SQUARE, ROOM 1901 CITY HALL
BUFFALO, NEW YORK 14202

REGULATIONS

**FOR ENTERING FORMAL PROPOSALS FOR MATERIALS, SUPPLIES, EQUIPMENT, AND;
SERVICES**

1. METHOD OF TENDERING PROPOSALS.

(A) ALL BIDDERS MUST TENDER THEIR PROPOSAL ON THE FORM FURNISHED WITH THESE SPECIFICATIONS and shall execute the form in ink or typewriter, without alteration or additions of any kind. Except for catalogs or other descriptive literature specified or requested, ANY LETTERS OR OTHER PAPERS ATTACHED TO PROPOSALS OR SUBMITTED UNDER SEPARATE COVER CONTAINING CONTINGENT CLAUSES OR MODIFICATIONS TO THESE SPECIFICATIONS WILL NOT BE ACCEPTED. Any deviation or minor points of variance shall be specifically shown and stated in the space provided on the bid sheet or on a separate sheet of paper, and only those deviations or minor variations contemplated or permitted thereby will be considered.

(B) No person, co-partnership, or corporation, shall submit more than one proposal, either directly or by agent. Each bidder shall sign said proposal with his/her full name, in his/her own handwriting, and, if a partnership, each partner must sign; if a corporation, the corporate name shall be signed, and signed and acknowledged by a duly authorized officer thereof.

(C) **A bid bond, certified check, bank draft or irrevocable letter of credit must accompany a bid under \$250,000.00.** If the total dollar amount of the bid exceeds \$250,000.00, then only a bid bond is acceptable. otherwise, a certified check, bank draft or irrevocable letter of credit shall be for ten percent (10%) of the amount bid. Bid bond running to the City of Buffalo to be executed by bidder as principal and by duly incorporated company authorized to guarantee performance of the contract, and to do business in the State of New York, as surety, in the penal amount of not less than ten percent (10%) of the bid, conditioned that if the bid accompanying the bond shall be accepted, the principal named in such bond will, whenever required, enter into a written contract for the performance of the contract in accordance with conditions as provided in the plans and specifications and will furnish the required security for the faithful performance of the contract as specified, and the penal sum of such bid bond, in the amount of one hundred percent (100%) shall be and become the minimum amount of the damages suffered by the City as liquidated damages, if the bidder whose bid is accepted shall fail to enter into a contract with the City and give security for the performance of the contract as required, upon notice to him as in said plans and specifications prescribed. The amount of the aforementioned bid bond, certified check, bank draft or letter of credit, shall be based on the total amount of the bid arrived at by the addition of the totals for all groups or units bid upon. Whenever bidders submit proposals for items aggregating less than \$10,000.00, no security need accompany the proposal.

D) “Energy Star”

For all applicable products bidders must submit with their bid a statement indicating that all products purchased will bear the “Energy Star” label as awarded by the U. S. Environmental Protection Agency and U. S. Department of Energy.

(E) If bidder finds it necessary to purchase a product that does not bear the “Energy Star” label the bidder or the respective Department or Agency must include a written statement indicating the reason “Energy Star” products can not be used, and a comparison of the initial and operating cost differential during the useful life of the “Energy Star” rated product and the non-rated product.

(F) All bidders must submit with their bid a statement indicating that they will work toward a minority workforce goal of 25%, and woman workforce goal of 5%. In addition, a statement must be submitted indicating that the bidder will work toward a business utilization goal for minority business enterprise of 25% and woman business enterprise of 5%.

Forms EEO-2A and 2B are enclosed and must be completed and returned with your proposal.

2. QUALIFICATIONS FOR BIDDER.

Ordinarily, proposals are not considered from bidders on supplies, material or equipment, if the bidder or manufacturer of same is in bankruptcy, or in the hands of a receiver at the time of tendering a proposal or at the time of entering into a contract, but the Director of Purchase reserves the right to accept or reject such proposals in the best interest of the City. No bid shall be accepted from any person or corporation that is in arrears to the City upon any debt or contract.

3. CONTRACT AND BOND.

(A) The successful bidder will be required to enter into a contract and furnish a bond guaranteeing the faithful performance of the contract in the penal amount of the contract price, such bond to be executed by the bidder as principal, and by a duly incorporated company authorized to guarantee the performance of the contract and to do business in the State of New York as surety. Said bond to be approved by the Corporation Counsel as to form and by the Comptroller of the City of Buffalo as to sufficiency of the bond. The amount of the performance bond shall be based on the total amount of the contract, arrived at by the additions of the totals for all groups or units listed thereon.

(B) **ALTERNATIVES TO PERFORMANCE BONDS.** Where the cost for the purchase of materials, supplies or equipment does not exceed two hundred fifty thousand dollars (\$250,000.00), the head of the City agency charged with the execution of the contract may, in his/her discretion, waive the requirement of a performance bond and authorize instead the submission of a certified check, bank draft or irrevocable letter of credit in the amount of fifty percent (50%) of said cost. Where the cost of such purchase exceeds two hundred fifty thousand dollars (\$250,000.00), the Common Council may, upon the recommendation of the head of the city agency charged with the execution of the contract, waive the requirement of a performance bond and authorize instead the submission of a bank draft, certified check or irrevocable letter of credit in the amount of fifty percent (50%) of said cost.

(C) **EXCEPTIONS.** Wherever the total of items awarded to any bidder is less than \$10,000.00, purchase orders will be issued and no performance bond will be required.

This exception does not apply where a trade-in is involved. In such cases the gross total quoted amount shall be the determining figure. A bond, or other security, shall be required when the amount is \$10,000.00 and over.

4. DISCOUNT.

Bidder will please specify cash discount, if any; discount period to begin with receipt of invoice in the office of the Division of Purchase. The cash discount is not to be considered in determining the low bid, except where bids are otherwise identical.

5. PAYMENT.

Payment for material, supplies or equipment called for herein shall be made within thirty (30) days after approved completion of contract and the rendition of proper invoice to the Division of Accounting, 65 Niagara Square, Room 1214 City Hall, Buffalo, New York 14202.

6. PATENT INFRINGEMENT.

The Contractor shall agree to indemnify and save harmless the City of Buffalo, its servants, agents and employees from any and all suits or action at law or in equity, which may hereafter be brought against them or either of them, for, or on account of, the infringement, or alleged infringement, of any patent or patent rights upon or pertaining to any of the articles described herein.

7. GENERAL.

(A) The Contractor will not be allowed to take advantage of any errors or omissions. The Director of Purchase reserves the right to reject any and all bids on any or all items in the proposal and to waive any informalities. In case of error, unit price governs.

(B) Should there be any question concerning these specifications, or the intent of these specifications, the prospective bidder shall apply to the Director of Purchase for such information.

(C) These regulations, specifications, invitation for bids, and the proposal are deemed to be incorporated in the contract.

(D) The Division of Purchase reserves the right to award by item, or as a whole, or to reject any or all bids.

8. TAXES.

Quotations shall not include any New York Sales Tax as municipalities of New York State are not subject to this tax. No Federal Tax of any kind shall be included unless the Federal Law specifically levies such tax against purchases made by the political subdivisions of a State.

9. TITLE.

Contractor must transfer a good and incontrovertible title to all equipment furnished hereunder free and clear of all liens and encumbrances of whatever name and nature.

10. ASSIGNMENT AND SUBCONTRACTING

Pursuant to Article 22, Section 22-9 of the City Charter, no contractor awarded a contract pursuant to bids shall assign or subcontract any part of such contract to any person, firm or corporation by whom a proposal was submitted to the City for the same contract. In any event, no contractor shall

assign, transfer or otherwise dispose of the within contract, or any part thereof, or any right, title or interest thereunder, without the prior written consent of the Director. Any such purported action without such consent shall be null and void.

11. SUBCONTRACTOR LIST.

The successful bidder shall submit a list of proposed subcontractors to the Director of Purchase for approval and obtain written consent thereto prior to the execution of the contract.

12. NATIONALLY KNOWN CORPORATIONS.

The Director of Purchase reserves the right to determine which corporations are to be designated as nationally known, and the decision will be final.

13. DELIVERY DATE, PENALTIES AND EXTENSIONS OF TIME.

The delivery date shall be considered by the Director of Purchase in making the award. Such delivery date shall be of the essence of the contract.

If the contractor and/or supplier fails to complete the contract within the specified delivery date or within any extensions thereof granted in accordance with this section, the City may elect to permit the contractor and/or supplier to proceed with and complete the contract, provided, however, that in any such case such permission shall not be deemed a waiver in any respect by the City of the contractor's and/or supplier's liability for damages or expenses thereby incurred by the City as a result of the failure to complete delivery within the specified time, but such liability shall continue in full force against the contractor and/or supplier as if such permission had not been granted.

In order to avoid all controversy in the determination of actual damages or expenses to the City for the delay in completion of the contract by reason of the City's election not to terminate the right of the contractor and/or supplier to proceed with the completion of the contract, the contractor and/or supplier and their surety shall be liable for and shall pay or allow to the City a sum equal to one percent (1%) of the total amount of the contract per day as fixed and agreed liquidated damages for each and every calendar day, Sundays and holidays included, after the date fixed for delivery during which time the contract shall remain incomplete, and any such damages and expenses may be deducted by the City from any payment or payments then due or thereafter to fall due to the contractor and/or supplier.

No extension of time for completion of this contract shall be granted unless the contractor and/or supplier shall make written application to the Director of Purchase no later than five (5) calendar days prior to the specified delivery date for an extension of time to complete delivery and the Director of Purchase shall have granted such extension in writing no later than the date upon which delivery was to have been made. The granting of any such extension and the length of time thereof shall be in the sole discretion of the Director of Purchase.

14. NON-COLLUSIVE BIDDING CERTIFICATION.

If the bidder is a corporation, the execution of the non-collusive certification in the form of proposal shall be deemed to include the signing to non-collusion as the act and deed of the corporation.

No bid shall be considered for an award nor will any award be made to a bidder where the proposal does not include the statements as to non-collusion as set forth in the form of proposal herein,

provided however, that if in any case the bidder cannot make the foregoing certification, the bidder shall so state and furnish with the bid a signed statement which sets forth in detail the reasons therefor. In such event the bid shall not be considered for award nor shall any award be made unless the Director of Purchase determines that such disclosure was not made for the purpose of restricting competition. In this connection, it should be noted that the fact that a bidder has published price lists, rates or tariffs covering items being procured or has informed prospective customers of the proposed or pending publication of new or revised price lists for such items, or has sold the same items to other customers at the same price as being bid, does not constitute, without more, a disclosure to any other bidder or to any competitor within the meaning of the non-collusive certification included in the form of proposal.

15. SECTION 220-E, Labor Law.

PROVISIONS IN CONTRACTS PROHIBITING DISCRIMINATION ON ACCOUNT OF RACE, CREED, COLOR OR NATIONAL ORIGIN IN EMPLOYMENT OF CITIZENS UPON PUBLIC WORKS.

Every contract for or on behalf of the state or a municipality for the construction, alteration or repair of any public building or public work or for the manufacture, sale or distribution of materials, equipment or supplies shall contain provisions by which the contractor with the state or municipality agrees:

(a) That in the hiring of employees for the performance of work under this contract or any subcontract hereunder, no contractor, subcontractor, nor any person acting on behalf of such contractor or subcontractor, shall by reason of race, creed, color, disability, sex or national origin discriminate against any citizen of the state of New York who is qualified and available to perform the work to which the employment relates;

(b) That no contractor, subcontractor, nor any person on his/her behalf shall, in any manner, discriminate against or intimidate any employee hired for the performance of work under this contract on account of race, creed, color, disability, sex or national origin;

(c) That there may be deducted from the amount payable to the contractor by the state or municipality under this contract a penalty of fifty dollars for each person for each calendar day during which such person was discriminated against or intimidated in violation of the provisions of the contract;

(d) That this contract may be canceled or terminated by the state or municipality, and all moneys due or to become due hereunder may be forfeited, for a second or any subsequent violation of the terms or conditions of this section of the contract; and

(e) The aforesaid provisions of this section covering every contract for or on behalf of the state or municipality for the manufacture, sale or distribution of materials, equipment or supplies shall be limited to operations performed within the territorial limits of the state of New York.

16. COOPERATIVE PURCHASING: PURCHASES BY OTHER POLITICAL SUBDIVISIONS

(A) When in the opinion of the Director of Purchase, it will not create a burden or hardship on the City of Buffalo and the anticipated prices will not adversely affected thereby, the Director is authorized when he deems appropriate and as may be requested by the participants to provide in any particular City

of Buffalo request for proposal that the participants shall have rights to make purchases based upon the proposals received by the City of Buffalo.

(B) The City of Buffalo Director of Purchase, within the limits of his/her time and manpower, shall disseminate relevant contract information to the participants.

(C) The participants in the City of Buffalo contracts will issue purchase orders directly to vendors within the specified contract period referencing the City of Buffalo contract involved and be liable for any payments due on such purchase orders.

(D) Proposers shall take notice that as a condition of the award of a City of Buffalo contract pursuant to these specifications, the successful proposers agrees to accept the award of a similar contract with any of the participating political subdivisions if called upon to do so. The City of Buffalo will not be responsible for any debts incurred by participants pursuant to this or any other agreement.

(E) Upon mutual agreement between the successful proposer and various other government agencies and authorities, this contract may be used if all requirements of each municipality is in agreement. Government agencies requesting the use of this contract will be responsible for monitoring all aspects and requirement, the City of Buffalo assumes no responsibility.

POLICE UNIFORMS
FOR THE
POLICE DEPARTMENT

PROPOSALS IN SEALED ENVELOPES, marked "FORMAL BID ON POLICE DEPARTMENT UNIFORMS", addressed to the Director of Purchase, 65 Niagara Square, Room 1901 City Hall, Buffalo, NY 14202, will be received until **10:30 A.M., local time FRIDAY, MAY 19, 2017.**

The City of Buffalo, Department of Police, is requesting bids on the clothing items listed on the enclosed formal proposal sheet. This required supplier to be able to deliver for a high demand. This contract is a "subsequent years" requisition. All quantities are estimates only.

Quantities estimated are approximate based on projected usage, but it is specifically understood and agreed that these quantities are approximate and any increased quantities will be paid for at the contract price and supplier shall not have any claim against the COB for any quantities less than estimated amount.

The City is not obligated to purchase any specific amount. The City shall only be obligated to pay for specific items ordered and shipped provided funds are available and have been properly encumbered by approval of the Division of Purchase.

METHOD OF BIDDING

1. Bidders shall quote unit price and total for each item, and grand total for all items. Actual purchases will be made as needed. Also, bidders are asked to quote a price for additional regulation Buffalo Police Department patches. Quantities are estimates only.
2. It is the intent of the Buffalo Police Department to provide replacement garments for their uniformed personnel. Orders for this contract are therefore not placed as one-time group orders, but rather as individual replacement orders throughout the year. Successful bidder must honor all orders with no minimum quantities.
3. Prices quoted shall include measurements and custom fittings at locations chosen by the Police Department; times and dates must be at the convenience of the Department to fit **all shifts**. Please submit an attachment certifying availability of local sewing facilities with hours of operation.
4. Bidders shall state length of time required for measuring, fitting, and delivery of items after receipt of purchase orders.
5. Contract period shall be from July 1, 2017 through June 30, 2018. Four (4) additional one (1) year renewals are possible, if agreeable to both parties. Total possible length of contract life would be five (5) years.
6. All goods are to be of top quality. No seconds or irregulars will be accepted. **All white shirts' name tags in blue tread must be done in colorfast tread.**

These specifications are used to establish the minimum acceptable standards for items the City of Buffalo intends to purchase. Styling, design/construction, workmanship and color selection availability are essential to this contract. In those cases where a manufacturer or brand name is cited, it is intended to establish the minimum level of quality, design or composition for items which will be acceptable by the City of Buffalo. Comparable items of other manufacturers which meet or exceed these specifications will be considered as alternates.

Approved products named in the specification are pre-qualified, but not intended to exclude from consideration an equivalent product of a financially sound, established manufacturer which meets or exceeds all specified requirements and contract conditions. Proposed substitutions must be equivalent in construction and appearance and/or meet approval of the Buffalo Police Department.

Bids based on manufacturers other than specified in the Proposal, must be clearly identified as such, and bidders must include detailed fabric and feature/construction specifications for each article with their bid. A list of users must also be included with the bid to be considered.

In the event that an apparent low bidder proposes an alternate, the burden of proof to demonstrate equivalency shall rest entirely with the bidder. The bidder will be required to demonstrate equivalency by samples and technical specifications.

The Purchasing Director hereby reserves the right to solely approve as an equal, or to reject as not being equal, any article the bidder proposes to furnish which contain major or minor variations from specification requirements but may comply substantially therewith.

7. Bid Samples: Bidders shall submit upon request to the Purchaser samples of any alternate uniform garments proposed. The sample garments submitted must meet or exceed the minimum specifications before a bid can be awarded. Therefore, samples submitted must be of the same material, quality, style, construction, workmanship and finish as those proposed to be furnished. Any material deviation from the specifications may result in rejection of the bid. Samples must be supplied without cost to the City of Buffalo, if bidder is successful and his bid items are accepted, those samples can be retained for the terms of the contract to ensure delivered goods are in compliance with the specifications, as compared to the sample.

The pre-award samples to be supplied upon request will include one of each of the specified alternate items on the bid request. Each sample must carry a tag listing the name of the bidder, item number, and size. It should be clearly understood that the bid samples can be used for two purposes including; (1) to determine the quality of workmanship and conformance to the specifications, and (2) to determine the lowest qualified bidder meeting specifications.

Samples will be required to be submitted to the BPD and approved by the Purchase Department in the case of manufacturers running change of any style bid on.

The City reserves the right to open seams, or linings, to gain access to inner construction and also reserves the right to reject any bidder whose bid samples do not meet specifications.

Acceptable equivalents will be determined by the Purchasing Director whose decision will be final.

If an alternate is accepted by the City, the sample(s) provided will not be returned. Samples submitted by the successful bidder(s) will be retained by the City of Buffalo for the life of the contract to ensure delivered goods are in compliance to the specifications, as compared to sample submitted.

Sample(s) will be returned to the successful contractor upon written request at the termination of the contract. It will be the responsibility of the contractor to provide all necessary arrangements and costs of return.

Samples will be returned to all unsuccessful bidders upon award of the contract.

- A. It will be the responsibility of each bidder to provide all necessary arrangements and costs of return.
- B. Samples not picked up will become the property of the City.

8. Certification labels - each garment shall have sewn in, an individual label which states that the garment is guaranteed to meet the specifications of the City of Buffalo Police Department. Each label will have a space for the Police Department to mark each item with the badge number of the Officer to which the item is issued.

9. Bidders need not bid the entire contract. Vendors must bid all items when bidding groups. The Director of Purchase reserves the right to award the contract by groups and/or to the overall low bidder to maintain uniformity in color and fabric, as well as for convenience in purchasing.

10. In order to provide the best possible service to the City of Buffalo Police Department, the successful bidder must include in his principal business the sale and supplying of uniforms. **Bidders who do not have a local shop must have a suitable approved local shop which has, on the premises tailoring and sewing equipment and skilled tailoring personnel to make quick, expert alterations and take measurements.** Prior to award of bid, the City of Buffalo Police reserves the right to visit the premises of the bidders to inspect the facilities and evaluate their ability to perform on this contract. This applies to bids for items in group no. 2 only.

11. All prices shall be firm delivered prices. Any freight charges shall be the responsibility of the successful vendor. Prices must be in U. S. funds.

12. The City of Buffalo Police Department is concerned about receiving prompt and reliable service. For that reason, past performance by specific vendors may be evaluated in determination of bid award.

13. **Failure to Deliver:** If the vendor is unable to supply requested goods within the designated time frame, due to factory delay, strike or any other unforeseen circumstances, the contractor must notify in writing, the Department representative and the Purchasing Division of the delay and the anticipated delivery date. A letter from the manufacturer substantiating the reason for delay must accompany documentation submitted by the contract vendor.

Failure to comply with this requirement will result in a poor performance rating and may be cause for termination of contract.

In the event the contractor fails to deliver after the anticipated delivery date, the City may give the contractor a ten (10) day period in which to correct such deficiencies. Failure of the contractor to correct delivery problems may result in termination of the contract.

Orders held by the vendor after the specified delivery dates are subject to cancellation by the using department. Consecutive cancellations may result in cancellation of the award to the vendor and in re-awarding the contract the next qualified bidder.

At the City's option, upon the contractor's failure to furnish items under contract within the time periods stipulated herein, the City may purchase such items on the open market.

Any excess costs incurred as a result of such action shall be deducted from monies due to the defaulting contractor.

In such case the defaulting contractor shall be liable for any excess procurement costs incurred by the City for the duration of the one (1) year contract period.

14. Hidden Costs: The quote submitted is expected to include all costs of supplying a finished uniform. Costs should include product, tailoring, fitting, alterations, shipping and delivery. If in the process of preparing your valid proposal, a supplier comes across costs not detailed in the proposal, the bidder is responsible for attaching a detailed additional costs sheet. Otherwise, no added costs will be accepted after contract inception.

Termination of Contract

The City of Buffalo reserves the right to terminate such contract or agreement at any time due to lack of vendor performance in regards to quality, service, workmanship, warranty, late deliveries, etc. Product brand and style # is of the essence. No substitutes for contracted items will be accepted.

The Buffalo Police Department has determined that the successful contractor will be allowed no more than fifteen (15) performance violations during the contract term without providing substantial documentation detailing non-performance.

15. Successful vendor must demonstrate his qualifications as an experienced bidder by accompanying his bid with documentation to indicate:

- a. Number of years in business
- b. Evidence of financial stability and responsibility to enable fulfillment of this contract. Bid bonds and performance bonds will not be waived.
- c. Satisfaction of other clientele. Bidders will be required to provide at least three references of contracts fulfilled during the past eighteen months. Names of contact persons, addresses, and phone numbers must be provided.

16. Successful vendor agrees to maintain on premises significant inventories of all uniform items to facilitate timely replacement of items as needed. Bidders shall disclose guaranteed stocking levels as part of their bid response. The City of Buffalo Police reserves the right to inspect these inventory levels without notice during the duration of the contract. Although this has not been enforced in the past, failure to maintain these stocking levels or to deliver uniform orders within a time frame satisfactory to the Department will be cause for the Police Department to give the contractor a ten day period in which to correct such deficiencies. Failure of the contractor to correct delivery problems will result in termination of the contract.

17. Bidders shall be aware that garments must be available in male and female sizes to fit all persons. There are a number of Buffalo Police Officers whose sizes fall into the oversize category. Bidders should know that all of these oversizes are included in their basic pricing, and that the City may not be billed any separate or upcharges to uniform these people. Prices shall also include special sizes for small men and women who fall below the stock size category. Please indicate if woman's petite sizes are available and additional cost if any.

18. Each officer shall be individually fitted for each item that requires fitting, and bid prices shall include initial alterations. All items to be available in male and female sizes. The Buffalo Police Department considers the following sizes to be stock sizes: Men's trousers 28 to 54 waist; Woman's slacks 6 to 24; Men's shirts 14 to 20; Men's sleeve size 31 to 38- Woman's shirt size 30 to 46; Outerwear sizes 34 to 54, lady's sizes as needed. For those sizes where stock sizes are not available, those items shall be altered or tailored to ensure a proper and representable fit. The alterations and tailoring shall be included in the bid price as initial alterations at no charge. **Successful bidder must have and keep a tailor on staff.** Days and time should be specified.

19. In accordance with condition 16, bidder shall disclose guaranteed stocking levels for each of the items as a part of their bid response. Said inventories shall be subject to inspection, and consideration in determining award of bid.

20. All bidders shall submit a price list for alterations that may be required after garments have been accepted as satisfactory.

21. Bid bond to accompany this proposal shall be based on the minimum quantity estimates in this proposal. The City of Buffalo makes no guarantee that the Police Department will actually buy garments totaling the quantity in these estimates.

22. All efforts will be utilized to purchase Union made goods, and have Union labels sewn into each garment, on a cost effective basis. References to "U.S.A. made" raw materials and assembly are to be interpreted as a preference and not a mandate. All exceptions should be clearly annotated and supported by reference materials.

Detailed specifications for items are included with this proposal.

POINTS OF VARIANCE:

These specifications are considered by the City as most desirable for the purpose for which the items are to be used, but alternate bids equal to, or substantially complying with the specifications, are invited and shall be considered whenever such action is in the best interest of the City. These variances shall be stated in detail either on the bid sheet, where applicable or on a separate sheet of paper.

ALL INFORMATION REQUIRED.

BIDDERS SHALL ANSWER ALL QUESTIONS APPEARING ON BID FORM.
FAILURE TO FOLLOW INSTRUCTIONS SHALL BE REASON FOR DISQUALIFICATION. NOT RESPONDING TO THIS BID INVITATION WILL RESULT IN YOUR NAME BEING REMOVED FROM THE BIDDER'S LIST FOR THIS COMMODITY GROUP.

WILLIAM L. SUNDERLIN
DIRECTOR OF PURCHASE

LIMITED WARRANTY (WATERPROOF GARMENTS)

The sample and contract garments shall carry a manufacturer's printed warranty hang tag. A sample warranty hang tag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty.

Limited Warranty will contain at minimum the following:

Warranty coverage: Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in materials and workmanship for a period of three (3) years from date of purchase. The product will remain waterproof in normal use for a period of three (3) years from date of purchase.

Warranty service: Should a covered product become defective or lose waterproofness during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

Limitations: This warranty does not cover abnormal wear and tear, nor the color fastness or fluorescent fabrics, nor damage from chemicals, fire, misuse, accident or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

For a complete copy of the Limited Warranty, please contact the manufacturer.

Stencil: Hi-viz yellow side of coat shall be stenciled with Regulation Buffalo Police lettering in silver scotchlite to read, two lines,

BUFFALO
POLICE

BLAUER WINTER HAT, PAGE 68, ITEM 100

Albourn Taslan shell fabric, flaps are lined with 28 ounce spec. seal-coat finish pile and secure over the crown or down to protect ears. Adjustable strap, badge eyelets in front flap. Police Blue.

KEYSTONE 8 POINT CAP, PAGE 66, ITEM 85

Conforming to the following specifications:

Material: Navy Blue Serge Top and Band

Tip Lining: Good quality black sateen, colorfast.

Style: 8 Pt. Police with one piece top.

Sweatband: Good quality roan leather, one and eleven sixteenths inches wide, perforated for ventilation to be installed by simulated hand process with "comfortable cushion effect.

Visor: Quality 400, shape 480 (drop type)

Eyelet: Shall be black enameled brass eyelets. One at front for badge approximately one inch above top of band, and two ventilation eyelets located approximately one inch on either side of second to the front seam above top of band on each side of cap.

Cap Strap: Shall be either Silver or Gold Flex band as required

Buttons: Shall be either Silver or Gold as required.

MATERNITY CLOTHING, PAGE 57 & 58, ITEMS 21 & 22

Shirts: LONG AND SHORT SLEEVE CLASS A ELBECO MODELS MODIFIED W/ GUSSETS

Color: (NAVY) BLUE OR WHITE

Style: Custom-made altered Elbeco Class Amaternity shirt to match long and short sleeved shirts.

Emblem: City of Buffalo regulation embroidered emblem must be furnished and sewn on left sleeve of shirt.

Nametag: Embroidered navy blue twill nametag shall be lettered with Police Officers name white block letters and shall be sewn on right chest of shirt.

TROUSERS

Style: Custom-made altered Elbeco Class A maternity trousers to match existing LAPD (Navy) Blue trousers. Trousers will be custom made with maternity front knit panel

PATROL DRESS COAT FECHHEIMER #34891, PAGE 69, ITEM 104

Material: 55% Dacron/45% Wool, Weight: 14-14-1/2 oz. Weave: Serge, Color: Navy Blue

Style: Four (4) buttons, single breasted, straight front, semi-form fitting, with notch lapels and epaulets

Button: Four (4) 36 Ligne New York State buttons sewn on front 4" apart and one (1) 24 Ligne button on each pocket flap. Silver or Gold buttons shall be applied to each coat according to individual officers rank.

Collar: Shall not be over 1-7/8" wide in back when finished. Under collar to be made of pre-padded under collar cloth.

Edge & Seams: Edges to be double stitched 1/4". Plain seams, pressed open.

Pockets: Outside front pockets to be four (4) false, three (3) pointed flaps, 24 Ligne button and buttonhole in center point. The upper flap to be 5-1/2" wide, lower flaps 8" wide with both sets of flaps being 2-1/2" deep. Corners to be sewn down. To have one (1) breast pocket, reinforced with self-cloth, approximately 6" wide and 6" deep. Flaps double stitched 1/4".

Pocketing: Inside pockets to be Selisia.

Lining: Coat is to be fully lined.

Vents: Shall have two (2) side vents 9" long that close to the back with a zipper on each vent.

Badge Tabs: Separate badge tab made of same material as the garment, approximately 1-1/2" wide and 2-1/4" long with two (2) metal eyelets, approximately 1-1/2" apart, sewn to the outside left breast of the coat so that the lower point of the badge is 1" above the breast pocket button.

Buttonholes: All buttonholes, except shoulder strap buttonholes, shall be made to a full 1/2" from the edges of the seam and pocket flaps. The ends of the buttonholes shall be bartacked. All buttonholes to be "cut after" machine made buttonholes. All thread used in making buttonholes shall be black buttonhole thread, tailor's button twist, colorfast and guaranteed against fading.

Sweat Shields: A sweat shield of the same cloth as in the body of the coat, piped with Rayon to be securely set under each arm over the lining.

Shoulder Straps: To be sewn in sleeve seam directly on tip of the shoulder. The strap shall come under the collar and fasten with 24 Ligne metal button at the edge of the collar. Cross stitched. Edges double stitched 1/4"

Outlets: All body seams to have outlets of not less than 3/4". Turn up at sleeve cuffs to be not less than 2-1/2".

**ADD - PROVIDE AND SEW ON HASHMARKS
PROVIDE AND SEW ON 1 ROW EACH OF 1/2 INCH AND 1 INCH OF BLACK
BRAID ON BOTH SLEEVES**

STYLE 584D
NAVY DUTYMAX MALE LONG SLEEVE SHIRT, PAGE 57, ITEM 15

- Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
- Shirts to have permanent military creases using the Creaset™ method. No substitutes will be accepted.
- Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
- All sewing shall be with dacron core thread to match shirt fabric.
- The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
- Fabric:** Burlington U8126 - 80% Polyester/20% Rayon, Tropical Weave
Weight: 6.75 – 7.25 oz. per square yard / 11.5– 12.5 oz. per linear yard
Construction: 41 picks x 49 ends per inch
4 - 8 % inherent fill stretch.
Enhanced for permanent moisture management, wickability, breathability, soil release and UPF protection through Nano-tex “Coolest Comfort” technology.
- Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.
- Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".
- The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.
- Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button. There shall be one horizontal buttonhole.
- Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.
- Sleeves:** To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

STYLE 584D
NAVY DUTYMAX MALE LONG SLEEVE SHIRT, PAGE 57, ITEM 15

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Front: The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical Reece buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

Pockets: To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

STYLE 584D
NAVY DUTYMAX MALE LONG SLEEVE SHIRT, PAGE 57, ITEM 15

Permanent Creases: Shirt to have five permanent military creases, which are to be applied via a pneumatically controlled application of silicon sealant, so as to give permanency to the creases for the life of the garment. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Interlining: Top center to be lined with QST interlining. Band and Flap to be EZ crease. Cuffs to be 3.75 weight Durapress. (Navy and brown shades to have Dacron lining in collar.) Collar to be built-up top fuse.

UPC Identification: A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: DutyMax woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

Buttons: All buttons shall be made from melamine material for durability and must match fabric.

Pressing and Packing:

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions

<u>Neck Size:</u>	<u>14</u>	<u>14.5</u>	<u>15</u>	<u>15.5</u>	<u>16</u>	<u>16.5</u>	<u>17</u>	<u>17.5</u>	<u>18</u>	<u>18.5</u>	<u>19</u>
Chest:	39	41	43	45	47	49	51	53	55	57	59
Waist:	35	37	39	41	43	45	47	50	53	55	58
Bk Length:	32½	32 ⁵ / ₈	32 ³ / ₄	32 ⁷ / ₈	33 ¹ / ₈	33½	33 ⁷ / ₈	35	35 ³ / ₈	35 ⁷ / ₈	36 ³ / ₈

Note: Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

STYLE 580D
WHITE DUTYMAX MALE LONG SLEEVE SHIRT, PAGE 57, ITEM 15

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

Shirts to have permanent military creases using the Creaset™ method. No substitutes will be accepted.

Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

Fabric: Burlington U8126 - 80% Polyester/20% Rayon, Tropical Weave
Weight: 6.75 – 7.25 oz. per square yard / 11.5– 12.5 oz. per linear yard
Construction: 41 picks x 49 ends per inch
4 - 8 % inherent fill stretch.
Enhanced for permanent moisture management, wickability, breathability, soil release and UPF protection through Nano-tex “Coolest Comfort” technology.

Creasing: Pockets and pocket flaps to be die creased to give uniform shape and size.

Collar: The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".

The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.

Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button. There shall be one horizontal buttonhole.

Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.

Sleeves: To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

STYLE 580D
WHITE DUTYMAX MALE LONG SLEEVE SHIRT, PAGE 57, ITEM 15

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Front: The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical Reece buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

Pockets: To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and a buttonhole sewn on the flap.

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps:

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

STYLE 580D
WHITE DUTYMAX MALE LONG SLEEVE SHIRT, PAGE 57, ITEM 15

Permanent Creases:

Shirt to have five permanent military creases, which are to be applied via a pneumatically controlled application of silicon sealant, so as to give permanency to the creases for the life of the garment. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Interlining:

Top center to be lined with QST interlining. Band and Flap to be EZ crease. Cuffs to be 3.75 weight Durapress. (Navy and brown shades to have Dacron lining in collar.) Collar to be built-up top fuse.

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels:

DutyMax woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

Buttons:

All buttons shall be made from melamine material for durability and must match fabric.

Pressing and Packing:

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions

<u>Neck Size:</u>	<u>14</u>	<u>14.5</u>	<u>15</u>	<u>15.5</u>	<u>16</u>	<u>16.5</u>	<u>17</u>	<u>17.5</u>	<u>18</u>	<u>18.5</u>	<u>19</u>
Chest:	39	41	43	45	47	49	51	53	55	57	59
Waist:	35	37	39	41	43	45	47	50	53	55	58
Bk Length:	32½	32⅝	32¾	32⅞	33⅛	33½	33⅞	35	35⅜	35⅞	36⅜

Note: Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

STYLE 9584D

NAVY DUTYMAX FEMALE LONG SLEEVE SHIRT, PAGE 57, ITEM 16

- Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
- Shirts to have permanent military creases using the Creaset™ method. No substitutes will be accepted.
- Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
- All sewing shall be with Dacron core thread to match shirt fabric.
- The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
- Fabric:** Burlington U8126 - 80% Polyester/20% Rayon, Tropical Weave
Weight: 6.75 – 7.25 oz. per square yard / 11.5– 12.5 oz. per linear yard
Construction: 41 picks x 49 ends per inch
4 - 8 % inherent fill stretch.
Enhanced for permanent moisture management, wickability, breathability, soil release and UPF protection through Nano-tex “Coolest Comfort” technology.
- Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.
- Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".
- The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.
- Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button. There shall be one horizontal buttonhole.
- Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.
- Sleeves:** To be straight and whole. The cuffs are to be 2-5/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff.

STYLE 9584D
NAVY DUTYMAX FEMALE LONG SLEEVE SHIRT, PAGE 57, ITEM 16

The sleeve opening shall measure 3-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Front: The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on left side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

Pockets: To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

STYLE 9584D
NAVY DUTYMAX FEMALE LONG SLEEVE SHIRT, PAGE 57, ITEM 16

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

Permanent Creases:

Shirt to have five permanent military creases, which are to be applied via a pneumatically controlled application of silicon sealant, so as to give permanency to the creases for the life of the garment. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Interlining: Top center to be lined with QST interlining. Band and Flap to be EZ crease. Cuffs to be 3.75 weight Durapress. (Navy and brown shades to have Dacron lining in collar.) Collar to be built-up top fuse.

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: DutyMax woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

Buttons: All buttons shall be made from melamine material for durability and must match fabric.

Pressing and Packing:

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

STYLE 9584D
NAVY DUTYMAX FEMALE LONG SLEEVE SHIRT, PAGE 57, ITEM 16

Finished Dimensions

<u>Size:</u>	<u>30</u>	<u>32</u>	<u>34</u>	<u>36</u>	<u>38</u>	<u>40</u>	<u>42</u>	<u>44</u>	<u>46</u>	<u>48</u>
Bust:	37	38	39.5	41	42.5	43.5	45.5	47.5	49.5	51.5
Waist:	32	33	34.5	36	37.5	38.5	40.5	42.5	44.5	46.5
Back:	29¼	29¼	29¼	29¾	29¾	30½	30½	31¼	31¼	31¼
Sleeve Length: 31¾	31¾	31¾	32½	32½	33½	33½	34	34	34½	

Note: Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

STYLE 9580LCD
WHITE DUTYMAX FEMALE LONG SLEEVE SHIRT, PAGE 57, ITEM 16

- Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
- Shirts to have permanent military creases using the Creaset™ method. No substitutes will be accepted.
- Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
- All sewing shall be with Dacron core thread to match shirt fabric.
- The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
- Fabric:** Burlington U8126 - 80% Polyester/20% Rayon, Tropical Weave
Weight: 6.75 – 7.25 oz. per square yard / 11.5– 12.5 oz. per linear yard
Construction: 41 picks x 49 ends per inch
4 - 8 % inherent fill stretch.
Enhanced for permanent moisture management, wickability, breathability, soil release and UPF protection through Nano-tex “Coolest Comfort” technology.
- Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.
- Collar:** The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2".
- The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar.
- Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. The stand shall fasten with one button. There shall be one horizontal buttonhole.
- Innerstand and inner yoke to be made of a compatible Combed Cotton blended poplin fabric for additional comfort.
- Sleeves:** To be straight and whole. The cuffs are to be 2-5/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff.

STYLE 9580LCD

WHITE DUTYMAX FEMALE LONG SLEEVE SHIRT, PAGE 57, ITEM 16

The sleeve opening shall measure 3-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole.

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Front: The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

The button stand, 7/8" wide, shall be self-lined and placed on left side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

Pockets: To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

STYLE 9580LCD
WHITE DUTYMAX FEMALE LONG SLEEVE SHIRT, PAGE 57, ITEM 16

Shoulder Straps:

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

Permanent Creases:

Shirt to have five permanent military creases, which are to be applied via a pneumatically controlled application of silicon sealant, so as to give permanency to the creases for the life of the garment. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Interlining: Top center to be lined with QST interlining. Band and Flap to be EZ crease. Cuffs to be 3.75 weight Durapress. (Navy and brown shades to have Dacron lining in collar.) Collar to be built-up top fuse.

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: DutyMax woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

Buttons: All buttons shall be made from melamine material for durability and must match fabric.

Pressing and Packing:

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

STYLE 9580LCD
WHITE DUTYMAX FEMALE LONG SLEEVE SHIRT, PAGE 57, ITEM 16

Finished Dimensions

<u>Size:</u>	<u>30</u>	<u>32</u>	<u>34</u>	<u>36</u>	<u>38</u>	<u>40</u>	<u>42</u>	<u>44</u>	<u>46</u>	<u>48</u>
Bust:	37	38	39.5	41	42.5	43.5	45.5	47.5	49.5	51.5
Waist:	32	33	34.5	36	37.5	38.5	40.5	42.5	44.5	46.5
Back:	29¼	29¼	29¼	29¾	29¾	30½	30½	31¼	31¼	31¼
Sleeve Length: 31⅜	31⅜	31⅜	32½	32½	33½	33½	34	34	34½	

Note: Navy shirts to be made to accommodate removable metal buttons on shoulder straps, cuffs and pocket flaps.

STYLE 5584D
NAVY DUTYMAX MALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 17

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

Shirts to have permanent military creases using the Creaset™ method. No substitutes will be accepted.

Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar shall be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

Fabrics: Burlington 5073 - 80% Polyester/20% Rayon, Tropical Weave
Weight: 6.75 – 7.25 oz. per square yard / 11.5– 12.5 oz. per linear yard
Construction: 41 picks x 49 ends per inch
4 - 8 % inherent fill stretch.
Enhanced for permanent moisture management, wickability, breathability, soil release and UPF protection through Nano-tex “Coolest Comfort” technology.

Creasing: Pockets and pocket flaps to be die creased to give uniform shape and size.

Collar: Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar shall be made with permanent collar stays.

The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy blue and brown shades to have Dacron lining.)

Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole.

The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.

Sleeves: Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

<u>Size</u>	<u>Finished Length</u>
14 and 14-1/2	9-1/2"
15, 15-1/2 and 16	10"
16-1/2" and above	10-1/2"

STYLE 5584D
NAVY DUTYMAX MALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 17

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Front: Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

Pockets: To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps:

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

STYLE 5584D
NAVY DUTYMAX MALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 17

Permanent Creases:

Shirt to have five permanent military creases, which are to be applied via a pneumatically controlled application of silicon sealant, so as to give permanency to the creases for the life of the garment. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Interlining:

Top center to be lined with QST interlining. Flaps to be EZ crease. Collar to be lined with fusible interlining. (Navy and brown shades to have Dacron lining in collar.)

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels:

DutyMax woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

Buttons:

All buttons shall be made from melamine material for durability and must match fabric.

Pressing and Packing:

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions

<u>Neck Size:</u>	<u>14</u>	<u>14.5</u>	<u>15</u>	<u>15.5</u>	<u>16</u>	<u>16.5</u>	<u>17</u>	<u>17.5</u>	<u>18</u>	<u>18.5</u>	<u>19</u>
Chest:	39	41	43	45	47	49	51	53	55	57	59
Waist:	35	37	39	41	43	45	47	50	53	55	58
Bk Length:	32½	32⅝	32¾	32⅞	33⅛	33½	33⅝	35	35⅝	35⅞	36⅞

Note: Navy shirt to be made to accommodate removable metal buttons throughout.

STYLE 5580D
WHITE DUTYMAX MALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 17

Style: It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.

Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.

Shirts to have permanent military creases using the Creaset™ method. No substitutes will be accepted.

Tailoring: It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.

All sewing shall be with dacron core thread to match shirt fabric.

The collar shall be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.

Fabrics: Burlington 5073 - 80% Polyester/20% Rayon, Tropical Weave
Weight: 6.75 – 7.25 oz. per square yard / 11.5– 12.5 oz. per linear yard
Construction: 41 picks x 49 ends per inch
4 - 8 % inherent fill stretch.
Enhanced for permanent moisture management, wickability, breathability, soil release and UPF protection through Nano-tex “Coolest Comfort” technology.

Creasing: Pockets and pocket flaps to be die creased to give uniform shape and size.

Collar: Convertible collar shall be one piece and to measure 3-1/4" long at points and 1-5/8" wide at back. The collar shall be made with permanent collar stays.

The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy blue and brown shades to have Dacron lining.)

Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole.

The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.

Sleeves: Sleeves are to be straight and whole and have a 1" hem. These shall be graded in length so as to finish from the shoulder seam as follows:

<u>Size</u>	<u>Finished Length</u>
14 and 14-1/2	9-1/2"
15, 15-1/2 and 16	10"
16-1/2" and above	10-1/2"

STYLE 5580D
WHITE DUTYMAX MALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 17

The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

Front: Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The left front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

Pockets: To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/2" box stitching top and bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non-functional matching button and buttonhole sewn on the flap.

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps:
The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

STYLE 5580D
WHITE DUTYMAX MALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 17

Permanent Creases:

Shirt to have five permanent military creases, which are to be applied via a pneumatically controlled application of silicon sealant, so as to give permanency to the creases for the life of the garment. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

Interlining: Top center to be lined with QST interlining. Flaps to be EZ crease. Collar to be lined with fusible interlining. (Navy and brown shades to have Dacron lining in collar.)

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: DutyMax woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

Buttons: All buttons shall be made from melamine material for durability and must match fabric.

Pressing and Packing:

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions

<u>Neck Size:</u>	<u>14</u>	<u>14.5</u>	<u>15</u>	<u>15.5</u>	<u>16</u>	<u>16.5</u>	<u>17</u>	<u>17.5</u>	<u>18</u>	<u>18.5</u>	<u>19</u>
Chest:	39	41	43	45	47	49	51	53	55	57	59
Waist:	35	37	39	41	43	45	47	50	53	55	58
Bk Length:	32½	32⅝	32¾	32⅞	33⅛	33½	33⅞	35	35⅜	35⅞	36⅜

Note: Navy shirt to be made to accommodate removable metal buttons throughout.

STYLE 9784D

NAVY DUTYMAX FEMALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 18

- Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
- Shirts to have permanent military creases using the Creaset™ method. No substitutes will be accepted.
- Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
- All sewing shall be with dacron core thread to match shirt fabric.
- The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
- Fabric:** Burlington U8126 - 80% Polyester/20% Rayon, Tropical Weave
Weight: 6.75 – 7.25 oz. per square yard / 11.5– 12.5 oz. per linear yard
Construction: 41 picks x 49 ends per inch
4 - 8 % inherent fill stretch.
Enhanced for permanent moisture management, wickability, breathability, soil release and UPF protection through Nano-tex “Coolest Comfort” technology.
- Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.
- Collar:** Convertible collar shall be one piece and to measure 3-1/8" long at points and 1-5/8" wide at back. The collar shall be made with permanent collar stays.
- The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy and brown shades to have Dacron lining.)
- Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole.
- The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.
- Sleeves:** Sleeves are to be straight and whole and have a 1" hem. The finish shall be 9" long from shoulder seam.
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

STYLE 9784D

NAVY DUTYMAX FEMALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 18

Front: Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The right front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges. The center front shall contain six vertical buttonholes placed 3/4" from edge, first 2-1/2" down from neck, balance 3-1/2" apart.

Back: There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.

Pockets: To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.

Flaps: To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non functional matching button and buttonhole sewn on the flap.

Flap Closure: The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.

Badge Tab: To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.

Shoulder Straps: The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.

Permanent Creases: Shirt to have five permanent military creases, which are to be applied via a pneumatically controlled application of silicon sealant, so as to give permanency to the creases for the life of the garment. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

STYLE 9784D
NAVY DUTYMAX FEMALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 18

Interlining: Top center to be lined with QST interlining. Flaps to be EZ crease. Collar to be lined with fusible interlining. (Navy and brown shades to have Dacron lining in collar.)

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: DutyMax woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

Buttons: All buttons shall be made from melamine material for durability and must match fabric.

Pressing and Packing:

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions

<u>Size:</u>	<u>30</u>	<u>32</u>	<u>34</u>	<u>36</u>	<u>38</u>	<u>40</u>	<u>42</u>	<u>44</u>	<u>46</u>	<u>48</u>
Bust:	37	38	39.5	41	42.5	43.5	45.5	47.5	49.5	51.5
Waist:	32	33	34.5	36	37.5	38.5	40.5	42.5	44.5	46.5
Back:	29¼	29¼	29¼	29¾	29¾	30½	30½	31¼	31¼	31¼

Note: Navy shirts to be made to accommodate removable metal buttons throughout.

STYLE 9780LCD
WHITE DUTYMAX FEMALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 18

- Style:** It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample.
- Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample.
- Shirts to have permanent military creases using the Creaset™ method. No substitutes will be accepted.
- Tailoring:** It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance.
- All sewing shall be with dacron core thread to match shirt fabric.
- The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
- Fabric:** Burlington U8126 - 80% Polyester/20% Rayon, Tropical Weave
Weight: 6.75 – 7.25 oz. per square yard / 11.5– 12.5 oz. per linear yard
Construction: 41 picks x 49 ends per inch
4 - 8 % inherent fill stretch.
Enhanced for permanent moisture management, wickability, breathability, soil release and UPF protection through Nano-tex “Coolest Comfort” technology.
- Creasing:** Pockets and pocket flaps to be die creased to give uniform shape and size.
- Collar:** Convertible collar shall be one piece and to measure 3-1/8" long at points and 1-5/8" wide at back. The collar shall be made with permanent collar stays.
- The collar is to be constructed of two plies of basic material and one ply of D331 top fuse lining. (Navy and brown shades to have Dacron lining.)
- Collar stays shall be of good quality Stalar vinyl, 2-1/2" in length and 3/8" wide and be attached to the bottom ply of the collar. There shall be one horizontal buttonhole.
- The collar and inner yoke to be lined with a compatible Combed Cotton blended poplin fabric for comfort. The collar lining shall be banana shaped.
- Sleeves:** Sleeves are to be straight and whole and have a 1" hem. The finish shall be 9" long from shoulder seam.
- The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.

STYLE 9780LCD
WHITE DUTYMAX FEMALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 18

- Front:** Each front shall have a facing 3" in width extending from the neckline to bottom of shirt provided by a turnunder of material. The right front shall also have a lined box pleat 1-1/2" wide finished, running full length of the shirt and shall be topstitched 1/4" from both edges. The center front shall contain six vertical buttonholes placed 3/4" from edge, first 2-1/2" down from neck, balance 3-1/2" apart.
- Back:** There is to be a yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of cotton blended poplin for additional comfort. There shall be a top stitch along the entire bottom of outside yoke for additional stability.
- Pockets:** To have two breast pockets with mitred corners to finish 5" wide and 5-1/2" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.
- Flaps:** To have two scalloped flaps to finish 5-1/4" in length, 2-3/8" in width at center, and 2-1/8" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a non functional matching button and buttonhole sewn on the flap.
- Flap Closure:** The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
- Badge Tab:** To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap.
- Shoulder Straps:**
The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button.

The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam.
- Permanent Creases:** Shirt to have five permanent military creases, which are to be applied via a pneumatically controlled application of silicon sealant, so as to give permanency to the creases for the life of the garment. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.

STYLE 9780LCD
WHITE DUTYMAX FEMALE SHORT SLEEVE SHIRT, PAGE 57, ITEM 18

Interlining: Top center to be lined with QST interlining. Flaps to be EZ crease. Collar to be lined with fusible interlining. (Navy and brown shades to have Dacron lining in collar.)

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: DutyMax woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem. Descriptive product hang tag to be attached to front of shirt.

Buttons: All buttons shall be made from melamine material for durability and must match fabric.

Pressing and Packing:

Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be packed two to a box with the sizes marked on the outside of the box at the one end.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

Finished Dimensions

<u>Size:</u>	<u>30</u>	<u>32</u>	<u>34</u>	<u>36</u>	<u>38</u>	<u>40</u>	<u>42</u>	<u>44</u>	<u>46</u>	<u>48</u>
Bust:	37	38	39.5	41	42.5	43.5	45.5	47.5	49.5	51.5
Waist:	32	33	34.5	36	37.5	38.5	40.5	42.5	44.5	46.5
Back:	29¼	29¼	29¼	29¾	29¾	30½	30½	31¼	31¼	31¼

Note: Navy shirts to be made to accommodate removable metal buttons throughout.

5.11 MODEL 72366/72345 MEN'S & 62366/62065 WOMEN'S NAVY/WHITE LONG/SLEEVE UNIFORM SHIRT, PAGE 55, ITEMS 2 & 3

TO BE 5.11 TACTICAL INC. MODEL 42147 MEN'S LONG/SLEEVE UNIFORM SHIRT; 32048 WOMEN'S LONG/SLEEVE UNIFORM SHIRT

FABRIC:

65% Polyester / 35% cotton, ripstop

DESIGN:

The shirt is made with a polyester/cotton blend for a professional appearance and comfort. The long sleeve shirt shall incorporate collar stays along the front edge of collar, not the center of the collar. The shirt is made with four pockets at the chest area. The elbows are double layer and the sleeves have 2-button, adjustable cuffs. Bi-swing shoulder design allows for extra movement through the back shoulder area.

POCKET DESIGN:

The two (2) outer front pockets feature non-working external bellows. The pocket has hook and loop flaps with a button applied for appearance only. There are two hidden document pockets with hook and loop closure on the front chest area of shirt.

ACROUMENTS:

The shirt must have a grommeted badge holder with internal support strap and working epaulets. Sewn-in military creases on front and back.

LABELS:

Shirt must have a care label, size label, country of origin and fiber content label permanently attached to the garment.

BUTTONS/ZIPPERS

Buttons – 4 hole Melamine buttons that won't melt, burn or crack.

Zippers – Both men's and women's shirts have a YKK CF zipper which starts between the 2nd and 3rd buttons and ends between the 5th and 6th button.

STOCK SIZES:

Shirts must be available in the following stock sizes:

Men's: Small/Medium/Large/Extra-Large/2XL/3XL/4XL/5XL/6XL

with 3 different sleeve lengths in each size: Short, Regular, Long

Women's: Small/Medium/Large/Extra-Large/2XL/3XL

with 2 different sleeve lengths in each size: Regular, Long

SHIRT COLORS:

White Black Brown Silver Tan Medium Blue
Dark Navy Midnight Navy Spruce

**MODEL 71168/71177 MEN'S & 61168/61159 WOMEN'S NAVY/WHITE SHORT/SLEEVE
UNIFORM SHIRT, PAGE 55, ITEMS 4 & 5**

TO BE 5.11 TACTICAL INC. MODEL 41132 MEN'S SHORT/SLEEVE UNIFORM SHIRT; 31023
WOMEN'S SHORT/SLEEVE UNIFORM SHIRT

FABRIC:

65% Polyester / 35% cotton, ripstop

DESIGN:

The shirt is made with a polyester/cotton blend for a professional appearance and comfort. The short sleeve shirt shall incorporate collar stays along the front edge of collar, not the center of the collar. The shirt is made with four pockets at the chest area. Bi-swing shoulder design allows for extra movement through the back shoulder area. The short sleeve shirt shall have a spread collar design.

POCKET DESIGN:

The two (2) outer front pockets feature non-working external bellows. The pocket has hook and loop flaps with a button applied for appearance only. There are two hidden document pockets with hook and loop closure on the front chest area of shirt.

ACROUMENTS:

The shirt must have a grommated badge holder with internal support strap and working epaulets. Sewn-in military creases on front and back.

LABELS:

Shirt must have a care label, size label, country of origin and fiber content label permanently attached to the garment.

BUTTONS/ZIPPERS

Buttons – 4 hole Melamine buttons that won't melt, burn or crack.

Zippers – Both men's and women's shirts have a YKK CF zipper which starts between the 2nd and 3rd buttons and ends between the 5th and 6th button.

STOCK SIZES:

Shirts must be available in the following stock sizes:

Men's: Small/Medium/Large/Extra-Large/2XL/3XL/4XL/5XL/6XL

Women's: Small/Medium/Large/Extra-Large/2XL/3XL

SHIRT COLORS:

White, Black, Brown, Silver Tan, Medium Blue, Dark Navy,
Midnight Navy, Spruce, Forest Green

STYLE E254RND
MALE ELBECO DUTYMAX FOUR POCKET TROUSER, PAGE 57, ITEM 19

Fabric: Style 900 twill serge, 80% Polyester/20% Rayon with 6-8% ring spun fiber stretch for increased comfort and excellent fabric memory. Weight is 7.5 oz. per square yard or 12 oz. per linear yard. Minimum construction: 75 warp x 57 filling yarns per square inch. Must be treated at the fiber level with NANOtex™ “Resists Spills” technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability. Color: Dark Navy.

Style: Shall be made on a comfort cut uniform pattern, having a plain front with quarter top front pockets, two back pockets and permanent pressed front and back leg creases.

Pockets: The front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide. The back pockets will have a minimum opening of 5½" and be 6" deep. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The front pockets shall each have straight bartacks and each back pocket shall be bartacked with a triangular bartacking machine. Straight bartacks on back pockets will not be acceptable.

Pocketing: All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 68 x 54, the weight shall be 2.60 yards/lb.

Waistband: The waistband shall be a ComfortStretchJ waistband to be constructed using the Aclosed method@ and shall measure 2" wide when finished. Upper waistband to feature a stretch ⅜" wide smooth symmetrical silicone channel applied to a blend of 64% polyester, 36% nylon and to be 1½" wide with a 10% stretch.

The bottom portion of the waistband will be a blend of 40% nylon, 48% polyester, 11% Lycra and 1% acrylic, woven 2" wide and to finish 1⅜"@ wide. To have a minimum of 40% stretch characteristics.

The waistband closure shall be accomplished with a crush proof hook and eye, bartacked for stability. The hook and eye shall be reinforced with stays made of a non-woven fabric that are anchored by the topstitching for the fly facing and curtain. This topstitching must be to the top of the waistband. The waistband must have a crack stitch for added strength. The top portion of the inside of the waistband is to consist of the same fabric as used for pocketing. The fabric is to be cut on the bias for maximum comfort. To be 1⅜"@ wide and to finish 1⅜"@ wide after construction. No alternative waistband will be acceptable.

Inner Fly/Crotch:

The right fly and front crotch linings shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining sewn to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper and continue centered on the join seam across the inseam and end 1" onto the backseam. A separate French fly made of the outer fabric shall be sewn to the inside right fly.

STYLE E254RND
MALE ELBECO DUTYMAX FOUR POCKET TROUSER, PAGE 57, ITEM 19

There shall be a triple strength crotch reinforcement to prevent seam failure in the crotch and inseam area. The crotch shall be secured with two rows of stitching. One row is to be on the inside of the trouser, and then turned and an additional row to be sewn on the outside of trouser.

Zipper: The trousers shall be closed with a Talon size 42 brass zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

Belt Loops: There should be a minimum of 5 lined belt loops on waist sizes 28, 29, 30, and a minimum of 7 lined loops on all sizes over 30. Each loop is to be 7/8" wide of double thickness, with stitching on the face side 3/8" from each edge. Except for the back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the recap. They shall accommodate a 1 5/8" belt.

Creasing: The front and back crease in both trouser legs must be applied via a pneumatically controlled application of UltraCrease™ silicone sealant, specially formulated for technologically enhanced fabrics, so as to give permanency to the creases for the life of the garment.

Seaming: The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine.

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: The trouser shall have a sewn-in woven label on the left hip pocket bag, containing fabric content and care instructions. A permanent size label shall be sewn to the woven label. There will be an outside waistband label which shall be marked with lot number, size, fiber content, and cut number.

Finishing & Pressing:

All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.

STYLE E254RND
MALE ELBECO DUTYMAX FOUR POCKET TROUSER, PAGE 57, ITEM 19

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

STYLE E9254LCD
FEMALE ELBECO DUTYMAX FOUR POCKET TROUSER, PAGE 57, ITEM 20

Fabric: Style 900 twill serge, 80% Polyester/20% Rayon with 6-8% ring spun fiber stretch for increased comfort and excellent fabric memory. Weight is 7.5 oz. per square yard or 12 oz. per linear yard. Minimum construction: 75 warp x 57 filling yarns per square inch. Must be treated at the fiber level with NANOTex™ “Resists Spills” technology for permanent superior fluid resistance, fabric appearance and durability, while maintaining original fabric breathability. Color: Dark Navy.

Style: Shall be made on a modified ladies uniform pattern, having a plain front with quarter top front pockets, 7/8" belt loops, two back pockets and a tailored waistband.

Pockets: The front pocket opening will be a minimum 6" and be 5½" deep from the bottom of the opening. Pockets shall be stitched, turned, and restitched. There shall be a tandem stitch along the front pocket facing to give additional stability and strength to the pocket. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide. The back pockets will have a minimum opening of 4 : " and be 6" deep on size 14 and up. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The front pockets shall have straight bartacks and each back pocket shall be bartacked with a triangular machine.

Pocketing: All pocketing shall be black 65% Polyester/35% Cotton with a minimum thread count of 70 x 48, weight is 4.3oz./sq. yd.

Waistband: The waistband shall be a ComfortStretchJ waistband to be constructed using the Aclosed method@ and shall measure 2" wide when finished. Upper waistband to feature a stretch ¾" wide smooth symmetrical silicone channel applied to a blend of 64% polyester, 36% nylon and to be 12" wide with a 10% stretch.

The bottom portion of the waistband will be a blend of 40% nylon, 48% polyester, 11% Lycra and 1% acrylic, woven 2" wide and to finish 1¾@ wide. To have a minimum of 40% stretch characteristics.

The waistband closure shall be accomplished with a crush proof hook and eye, bartacked for stability. The hook and eye shall be reinforced with stays made of a non-woven fabric that are anchored by the topstitching for the fly facing and curtain. This topstitching must be to the top of the waistband. The waistband must have a crack stitch for added strength. The top portion of the inside of the waistband is to consist of the same fabric as used for pocketing. The fabric is to be cut on the bias for maximum comfort. To be 1¾@ wide and to finish 1¾@ wide after construction. No alternative waistband will be acceptable.

Inside Trim: The right fly and crotch linings shall be the same fabric and color as the waistband curtain. There shall be a non-woven interlining sewn to the fly to give additional stability and strength to the fly. The right fly lining shall be sewn to the left fly below the zipper.

STYLE E9254LCD
FEMALE ELBECO DUTYMAX FOUR POCKET TROUSER, PAGE 57, ITEM 20

Belt Loops: There should be a minimum of 5 belt loops on waist sizes 12 and down, and a minimum of 7 on all sizes over 14. Each loop is to be $\frac{7}{8}$ " wide of double thickness, with stitching on the face side $\frac{3}{8}$ " from each edge. Except for the back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a $1\frac{5}{8}$ " belt.

Zipper: The trousers shall be closed with a brass zipper and have a brass bottom stop at the base of the zipper chain. A straight bartack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trouser.

Creasing: The front and back crease in the trouser legs must incorporate a permanent modified silicone crease produce by the CreasetJ System.

Seaming: The entire trouser is to be seamed with Polyester core or 100% Polyester spun thread. The seat seam shall be stitched with a tandem needle seat seaming machine. The outside trouser leg seam shall be seam busted.

UPC Identification:

A printed UPC bar code tag must be attached to every garment so as to be visible in the package. The UPC bar code must identify style, color and size information so as to be incorporated into an inventory management system. Appropriate support documentation must be available to assist Agency in encoding UPC information.

Labels: The trouser shall have a sewn-in woven label on the left hip pocket bag, containing fabric content and care instructions. A permanent size label shall be sewn to the woven label. There will be an outside waistband label which shall be marked with lot number, size, fiber content, and cut number.

Finishing & Pressing:

All loose threads shall be removed. Trousers must be pressed completely and properly with side seam, inseam, and seat seam pressed open. There must be a Jetclip attached to the top fly of the finished trouser.

Code of Conduct:

All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the name and location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection.

STYLE E9254LCD
FEMALE ELBECO DUTYMAX FOUR POCKET TROUSER, PAGE 57, ITEM 20

Finished Dimensions:

Size	2	4	6	8	10	12	14	16	18	20	22	24	26
Waist	25.5	26.5	27.5	28.5	29.5	31	32.5	34	36	38	40	42	44
Front Rise	8.56	8.75	8.9	9.1	9.3	9.56	9.8	10	10.4	10.7	11	11.3	11.6
Seat	37.5	38.5	39.5	40.5	41.5	42.75	44	45.25	47	49	50.9	52.75	54.6
Thigh	24.6	25.25	25.9	26.5	27	28	28.9	29.75	30.8	31.9	32.9	34	35
Knee	17.25	17.75	18.25	18.75	19.25	19.75	20.25	20.75	21.25	21.75	22.25	22.75	23.25

MEN'S 74371 & WOMAN'S 64371 "B" CLASS UNIFORM PANT, PAGE 55, ITEMS 6 & 7

TO BE 5.11 TACTICAL INC. MEN'S MODEL 74371 "B" CLASS UNIFORM PANT, or WOMEN'S MODEL 64371 "B" CLASS UNIFORM PANT

FABRIC:

65% POLYESTER / 35% COTTON-RIPSTOP
6.14 oz taclite ripstop

DESIGN:

The pant shall incorporate a plain front, two (2) quarter top front pockets, two (2) hip pockets, two (2) flashlight/utility pockets and two (2) cargo pockets. The pant must have a one piece diamond gusseted crotch measuring approximately 19 inches long and three inches deep. There are bar tacks at the center front and center back of the gusseted crotch.

POCKET DESIGN:

The two (2) front pockets will be quarter top style with a minimum opening of 7 1/2" and a minimum depth of 5 1/2" measured from the bottom of the pocket opening. Pockets shall be constructed using the stitch, turn, and topstitch method, also known as a French seam.

The two (2) hip pockets shall have a minimum opening of 5 1/2" and a minimum depth of 6 1/2" measured from the bottom of the pocket opening. Hip pockets shall have double welts. The corners of the hip pocket openings shall have triangle bar tacks. Both pockets shall have a tab to button.

The two (2) cargo pockets, (one on each side seam) shall be double pockets, (pleated patch pockets with flaps and a zippered under pocket). The pockets will be centered across the side seam. The pocket shall be constructed of the shell fabric. The flapped pocket shall have an elasticized inverted pleat opening extending the pocket opening an additional 1 1/2 inches and be lined with the 5.11 Back-up-Belt System, a hook and loop material. The loop materials serves as a mounting surface for 5.11's hook based material on the Accessories Pouches. The outside measurements of the pocket are 7 1/4" wide x 10" deep. There shall be a working 1 1/2" inverted center pleat on each pocket. The pocket flaps shall be mitered and secured with 1 1/2 x 1/2 inch hook and loop tabs at each corner. There shall be a coil zipper sewn behind the inner pocket and to the trouser leg so that the zipper is recessed 1" from the top of the pocket flap. There shall be straight vertical bar tacks on all corners of each pocket flap. The two (2) flashlight/utility pockets shall be single welt and be 3 1/2" wide and 8 1/2" deep. These pockets shall have triangle bar tacks at each side.

WAISTBAND:

The pant will be made with the 5.11 Tactical Comfort Waistband, which provides overlapping elastic tunnels at each side for better comfort and fit the waistband shall measure 2" tall when finished. The waistband shall be closed with a PRYM snap and a French fly. The waistband must be topstitched 1/8" along both edges for added strength.

MEN'S 74371 & WOMAN'S 64371 "B" CLASS UNIFORM PANT, PAGE 55, ITEMS 6 & 7

BELT LOOPS:

Belt loops shall be keystone style and have a minimum opening of 2 ¼". There must be a minimum of five (5) belt loops at the waist.

CREASES:

The leg creases, front and back will have a silicone bead to create a permanent crease.

STITCHING, PRESSING & FINISHING:

Trouser must be stitched with matching thread. Trouser must be cleaned and finished to eliminate loose threads.

LABELS:

Trouser must have a care label, size label, country of origin and fiber content label permanently attached to the garment.

BUTTONS/ZIPPERS/SNAPS

Melamine Button – resists heat and breaking, 4 hole, #20L

YKK Zipper – #5 locking coil zipper

PRYM Snap - #26L Antique Brass Metal Snap

STOCK SIZES:

Trouser must be available in the following stock sizes:

MEN'S- REGULAR RISE, UNHEMMED:28 - 60 (EVEN WAIST SIZES ONLY)

WOMEN'S- UNHEMMED 2-24 (EVEN SIZES ONLY)

M-9 GORE TEX® ASSAULT SIDE ZIP BOOTS, PAGE 66, ITEM 81

MEN'S #2488, "HIGH" BOOT

Features Benefits

Upper Full grain waterproof leather w/ 1680 Denier Ballistic Nylon
Lightweight
Waterproof
Durable
Breathable
Easy to clean and maintain

Lining 520 Mesh with 200g insulation Breathable Gore-Tex ® Waterproof membrane

Zipper Heavy gauge nylon Easy on/off

Insert Texon board Lightweight Flexible

Shank Nylon
Maintains stability with Instep Support from Heel to Foot
Stealth

Midsole Polyurethane Lightweight Shock Absorbing

Outsole Vibram Mutant Outsole
Slip Resistant
Mini lug tread design – for traction on turf and smooth surfaces
Greater Stability

Construction Cement Lightweight
Flexible

Sizes Men's M 4-12,13,14,15, W 7-12,13,14
Women's M 5-10

GX-4 GORE TEX BOOTS, PAGE 66, ITEMS 79 & 80

MEN'S #2266, "LOW" BOOT
WOMEN'S #2766, "LOW" BOOT

Features Benefits

Upper Full grain waterproof leather w/ 1680 Denier Ballistic Nylon
Lightweight
Waterproof
Durable
Breathable
Easy to clean and maintain

Lining Gore-Tex® 3 bar Knit lining Breathable
Gore-Tex ® Waterproof membrane

Ornaments Molded Plastic Stealth

Insert PESU II Footbed
Soft EVA Foam for Comfort Cushion
Removable and replaceable
Breathable


Shank Nylon
Maintains stability with Instep Support from Heel to Foot
Stealth

Midsole Molded EVA Lightweight
Shock Absorbing

Outsole Bates X Factor BA-10 Ultra-Lites Extreme
Slip Resistant
Oil Resistant
Mini lug tread design – for traction on turf and smooth surfaces
Contact toe
Heel made for easy transition as you walk

Construction Cement Lightweight
Flexible

Sizes Men's M 7-12,13,14,15, W 7-12,13,14
Women's M 5-10



CITY OF BUFFALO
NEW YORK

DEPARTMENT OF ADMINISTRATION, FINANCE, POLICY & URBAN AFFAIRS
DIVISION OF PURCHASE
65 NIAGARA SQUARE, ROOM 1901 City Hall
BUFFALO NY 14202

FORMAL PROPOSAL

POLICE UNIFORMS
FOR THE
DEPARTMENT OF POLICE

Covered by Specifications ADVERTISED ON: MONDAY, APRIL 17, 2017

This bid must be returned to the Division of Purchase, 65 Niagara Square, Room 1901 City Hall, Buffalo, N.Y. 14202 on or before 10:30 a.m. local time, FRIDAY, MAY 19, 2017, at which time bids will be publicly opened.

THE UNDERSIGNED SUBMITS THE FOLLOWING BID WHICH IS IN COMPLETE CONFORMITY WITH THE INTENT OF THE SPECIFICATIONS.

QUANTITIES ARE APPROXIMATE

ITEM NO. QUANTITY & DESCRIPTION PRICE EACH TOTAL

GROUP NO. 1 – 511 PRODUCTS

- 1. 20 EA. 3 IN 1, 511 PARKA, DARK NAVY, MODEL 48001
THIS WILL INCLUDE SPECIAL PRINTING AND
LETTERING TO BE DETERMINED BY UNIT
ASSIGNMENT. PROVIDE AND SEW ON RANK BADGE
ON FRONT DROP DOWN PANEL. TO INCLUDE
FRONT & BACK PANEL SCREENING. ALL SIZES
MFR. & STYLE NO. _____ \$ _____ \$ _____

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 1 – 511 PRODUCTS (CONTINUED)

- | | | | |
|----|--|----------|----------|
| 2. | 720 EA. CLASS B 5.11 MEN’S LS SHIRTS
MODEL #72366-NAVY/ 72345-WHITE WITH SEWN-ON BPD
PATCH & EMBROIDERED NAMETAG
OR EQUAL – LONG SLEEVE
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 3. | 200 EA. CLASS B 5.11 LADIES LS SHIRTS
MODEL #62366-NAVY / 62065-WHITE WITH SEWN-ON BPD
PATCH & EMBROIDERED NAMETAG
OR EQUAL – LONG SLEEVE
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 4. | 660 EA. CLASS B 5.11 MEN’S SS SHIRTS
MODEL #71168-NAVY/ 71177-WHITE WITH SEWN-ON BPD
PATCH & EMBROIDERED NAMETAG
OR EQUAL – SHORT SLEEVE
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 5. | 200 EA. CLASS B 5.11 LADIES SS SHIRTS
MODEL #61168-NAVY/ 61159-WHITE WITH SEWN-ON BPD
PATCH & EMBROIDERED NAMETAG
OR EQUAL – SHORT SLEEVE
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 6. | 770 EA. CLASS B 5.11 MEN’S TROUSERS
MODEL #74371 OR EQUAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 7. | 230 EA. 5.11 LADIES TROUSERS
CLASS B MODEL # 64371 OR EQUAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 8. | 10 EA. 72157, 5.11 TACTICAL 100% COTTON
L/SLEEVE SHIRT, BLACK SHOULD INCLUDE
ALL SPECIAL EMBLEMS AND PATCHES SHOULD
BE FURNISHED AND SEWN/EMBROIDERED ON BY
THE VENDOR AT NO CHARGE.
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 1 – 511 PRODUCTS (CONTINUED)

- | | | | |
|-----|---|----------|----------|
| 9. | 150 EA. –5.11 4-IN-1 JACKET, MODEL #48027 W/ REMOVEABLE DROP DOWN REFLECTIVE PANEL THAT READS“POLICE”. FURNISH AND SEW ON BPD PATCH AND EMBROIDERED NAMETAG AND BADGE TAP/OR RANK BADGE ON OUTER SHELL AND INNER LINER. ALSO TO FURNISH AND SEW UNIT PATCH ON THE RIGHT SHOULDER AT NO EXTRA COST ACCORDING TO OFFICERS ASSIGNMENT. THE FREE 511 HI VIZ YELLOW VEST <u>AS LONG AS IT IS PROVIDED BY 511</u> HAS TO BE TURNED OVER TO THE POLICE DEPARTMENT, MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 10. | 100 EA. – 5.11 TACTICAL FLEECE LINER ONLY – STYLE # 48038 CUSTOMIZING – SAME AS MODEL # 48027 MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 11. | 100 EA – 5.11 VALIANT DUTY JACKET SYSTEM – STYLE # 48153 CUSTOMIZING – SAME AS MODEL # 48027 MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 12. | 100 EA – 5.11 VILIAANT SOFT SHELL LINER ONLY – STYLE # 48167 CUSTOMIZING – SAME AS MODEL # 48027 MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 13. | 10 EA – BLAUER TAC SHELL JACKET NAVY STYLE # 9820-60 WITH 4660 SOFT SHELL LINER CUSTOMIZING – SAME AS MODEL # 48027 MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 14. | 10 EA – BLAUER SOFT SHELL LINER ONLY STYLE # 4660 – NAVY CUSTOMIZING – SAME AS MODEL # 48027 MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

TOTAL FOR GROUP NO. 1.....\$ _____

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 2 – ELBECO ITEMS

- | | | | |
|-----|---|----------|----------|
| 15. | 130 EA. CLASS A ELBECO MEN'S LS SHIRTS
MODEL #584D NAVY/580D WHITE WITH SEWN-ON
BPD PATCH & EMBROIDERED NAMETAG
OR EQUAL - LONG SLEEVE
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 16. | 40 EA. CLASS A ELBECO LADIES LS SHIRTS
MODEL #9584D-NAVY/9580LCD-WHITE
WITH SEWN-ON BPD PATCH & EMBROIDERED
NAMETAG OR EQUAL LONG SLEEVE
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 17. | 130 EA. CLASS A ELBECO MEN'S SS SHIRTS
MODEL 5584D -NAVY/5580 D WHITE WITH SEWN-ON
BPD PATCH & EMBROIDERED NAMETAG OR
EQUAL SHORT SLEEVE
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 18. | 40 EA. CLASS A ELBECO LADIES SS SHIRTS
MODEL 9784D -NAVY/9780LCD WHITE
WITH SEWN-ON BPD PATCH& EMBROIDERED
NAMETAG OR EQUAL SHORT SLEEVE
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 19. | 140 EA. CLASS A ELBECO MEN'S
TROUSERS W/1" RAISED BLACK
BRAID SEWN ON, MODEL E254RND
OR EQUAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 20. | 30 EA. CLASS A ELBECO LADIES
TROUSERS, MODEL # E9254LCD W/SEWN ON
1" BRAID OR EQUAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 21. | 40 EA. MATERNITY TROUSERS
CLASS A ELBECO TROUSERS
MODIFIED W/ FRONT PANEL
OR EQUAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 2 – ELBECO ITEMS (CONTINUED)

22.	40 EA. MATERNITY SHIRTS CLASS A ELBECO SHIRTS MODIFIED W/ GUSSETS OR EQUAL MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

TOTAL FOR GROUP NO. 2.....\$ _____

GROUP NO. 3 – BLAUER ITEMS

23.	20 EA. BLAUER 233R REVERSIBLE RAINJACKET BLACK/FLOURESCENT YELLOW, CUT #J106164, STYLE #233 BUFFAL POLICE SCREEN ON THE BACK. ALL SIZES MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

24.	20 EA. BLAUER #134 RAIN PANTS, BLACK, CUT #J108197, STYLE #134, ALL SIZES MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

25.	40 EA BLAUER STREETGEAR COLOR- BLOCK SHIRT, MODEL #8133 NAVY & FLUORESCENT YELLOW, SHIRT WILL HAVE 2 LINES “BUFFALO” AND “POLICE” IN SILK SCREENED LETTERS 3 INCH HIGH ON BACK PROVIDE AND SEW ON BPD EMBLEM ON BOTH SLEEVES, SCREEN BUFFALO POLICE (2 LINES) ON FRONT RIGHT SIDE (SIZE 1 INCH) ADD PROVIDE AND SEW ON RANK PATCH ON LEFT SIDE MFR. ABOVE OR EQUAL MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

26.	75 EA. BLAUER 733 BREATHEABLE MEMBRANE REVERSIBLE RAINCOATS. COLOR BLACK REVERSING TO HI VIZ YELLOW; BUFFALO POLICE SCREEN ON THE BACK MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 3 – BLAUER ITEMS (CONTINUED)

- | | | | |
|-----|---|----------|----------|
| 27. | 75 EA. BLAUER 107 REVERSIBLE RAIN CAP
COVERS.COLOR BLACK REVERSING TO
HI VIZ YELLOW
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 28. | 20 EA. BLAUER- ALL WEATHER PANTS#9825Z.
WITH ZIPOUT LINER
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

TOTAL FOR GROUP NO. 3.....\$ _____

GROUP NO. 4 – PROPPER ITEMS

- | | | | |
|-----|--|----------|----------|
| 29. | 20 EA. PROPPER DEFENDER DELTA DROP PANEL
DUTY JACKET MODEL #F547275001L2, BLACK
TO INCLUDE SPECIAL PRINTING AND
LETTERING TO BE DETERMINED BY UNIT
ASSIGNMENT. TO INCLUDE FRONT & BACK
PANEL SCREENING. ALL SIZES
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 30. | 55 EA. PROPPER 65/35 POLY/COTTON BDU
SHORTS WITH ALPHA SIZES, ADJUSTABLE
WAISTBAND, KHAKI, BLACK OR NAVY COLOR
MODEL #F5260
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 31. | 20 EA. PROPPER #5209-21-394 ACU 50/50 NYLON/COTTON
RIPSTOP TROUSER, ALL SIZES
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 32. | 20 EA – PROPPER TAC U TROUSERS – BLACK
STYLE # F5212-38-001
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 4 – PROPPER ITEMS (CONTINUED)

- | | | | |
|-----|---|----------|----------|
| 33. | 20 EA. PROPPER #5459-21-394 ACU 50/50 NYLON/COTTON RIPSTOP LONG SLEEVE SHIRT, ALL SIZES. BUFFALO SWAT EMBLEM TO BE FURNISHED AND SEWN ONTO VELCRO PATCH FOR LEFT SLEEVE. SUBDUED AMERICAN FLAG TO BE FURNISHED AND SEWN ONTO VELCRO PATCH FOR RIGHT SLEEVE. NAMESTRIP OF ACU MATERIAL FURNISHED, EMBROIDERED AND SEWN ONTO VELCRO FOR RIGHT CHEST. TITLE (SAME AS NAMESTRIP) FURNISHED AND SEWN FOR LEFT CHEST APPLICATION IF NEEDED.
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 34. | 20 EA – PROPPER TAC U L/S SHIRTS – BLACK
STYLE # F5424-38-001
CUSTOMIZING – FOR BUFFALO PD SWAT TEAM –SAME AS ACU SHIRT WITH BLACK AND RED PATCHES AND ALL PATCHES SEWN ON VELCRO

MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

TOTAL FOR GROUP NO. 4.....\$ _____

GROUP NO. 5 RECRUIT ITEMS

- | | | | |
|-----|--|----------|----------|
| 35. | 100 EA FLYING CROSS LONG SLEEVE SHIRTS MODEL # 35W5441 WITH SEWN-ON BPD PATCH & EMBROIDERED NAMETAG. MFR. AS ABOVE OR EQUAL APPROVED BY C.P.S. – LADIES & MENS
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 36. | 100 EA DICKIES TROUSERS MODEL 874 SILVER GREY OR EQUAL WITH C.P.S. APPROVAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 37. | 100 EA. AUGUSTA BLUE SHORTS WITH C.P.S. LOGO. AS ABOVE OR EQUAL WITH C.P.S. APPROVAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 5 RECRUIT ITEMS (CONTINUED)

- | | | | |
|-----|--|----------|----------|
| 38. | 50 EA. JERZEES GRAY SWEAT PANTS WITH C.P.S. LOGO. AS ABOVE OR EQUAL WITH C.P.S. APPROVAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 39. | 50 EA. JERZEES GRAY SWEAT SHIRTS WITH C.P.S. LOGO. AS ABOVE OR EQUAL WITH C.P.S. APPROVAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 40. | 50 EA. NEW ERA BASEBALL CAPS WITH C.P.S. EMBROIDERED EMBLEM. AS ABOVE OR EQUAL WITH C.P.S. APPROVAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 41. | 100 EA. T-SHIRTS, 50/50 POLY-COTTON BLEND, SHORT SLEEVES, WHITE WITH BLUE COLLAR AND BLUE BAND AROUND ARM WITH SCREEN-PRINTED CPS LOGO
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

TOTAL FOR GROUP NO. 5.....\$ _____

GROUP NO. 6 CLEANERS/CELL BLOCK ATTENDANTS

- | | | | |
|-----|--|----------|----------|
| 42. | 50 EA. DEVON & JONES PIMA, MEN'S & WOMEN'S COTTON POLO WITH BPD SPECIAL UNITS LOGO DIRECTLY EMBROIDERED ON FRONT MODEL #D100/D100W SHORT SLEEVE
MFR. ABOVE OR EQUAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 43. | 40 EA. DEVON & JONES PIMA COTTON POLO WITH BPD SPECIAL UNITS LOGO DIRECTLY EMBROIDERED ON FRONT, MEN'S & WOMEN'S MODEL #D110/D110W LONG SLEEVE ABOVE MFR. OR EQUAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 6 CLEANERS/CELL BLOCK ATTENDANTS (CONTINUED)

- | | | | |
|-----|---|----------|----------|
| 44. | 40 EA. EDWARDS 65/35 COTTON PANTS FOR DISPATCHERS ABOVE MFR. OR EQUAL STYLE # 2510 (MENS) & 8517 (WOMENS) MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 45. | 35 EA. RED KAP 65 % POLYESTER 35 % COTTON PANTS FOR CLEANERS, MODEL #PT20 & PT 21, COLOR – KHAKI ABOVE MFR. OR EQUAL MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 46. | 20 EA. RED KAP 65 % POLYESTER 35 % COTTON LONG SLEEVE SHIRTS FOR CLEANERS. MODEL #SP13 & SP14 COLOR – KHAKI ABOVE MFR. OR EQUAL MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 47. | 20 EA. RED KAP 65 % POLYESTER 35 % COTTON SHORT SLEEVE SHIRTS FOR CLEANERS. MODEL #SP23 & SP24 COLOR – KHAKI ABOVE MFR. OR EQUAL MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 48. | 20 EA. VERTX ACTION POLO #VTX4000P/4020P (SHORT AND LONG SLEEVES) BID TO INCLUDE EMBROIDERED NAME AND UNIT MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 49. | 20 EA. VERTEX PANTS # VTX1000 (MENS) AND #VTX1050 (WOMENS) MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 50. | 25 EA. FLYING CROSS L/S COURT SHIRTS STYLE # 35R5881 / 135R5881 CUSTOMIZING – PEACE OFFICER EMBLEM PROVIDED AND SEWN ON BOTH SLEEVES MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 6 CLEANERS/CELL BLOCK ATTENDANTS (CONTINUED)

51.	25 EA. FLYING CROSS S/S COURT SHIRTS STYLE # 85R5881 / 185R5881 CUSTOMIZING – PEACE OFFICER EMBLEM PROVIDED AND SEWN ON BOTH SLEEVES MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

52.	5 EA. LANDWAY FULL/HALF ZIPP FLEECE STYLE # 9803/8824 CUSTOMIZING WITH DIFFERENT UNIT NAMES ON THE FRONT LEFT SIDE MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

TOTAL FOR GROUP NO. 6.....\$ _____

GROUP NO. 7 – LEATHER GOODS

53.	100 EA. SAFARILAND RAPTOR LEVEL III HOLSTER STX FINISH, STYLE #6270-83-131/132 MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

54.	100 EA. SAFARILAND RIVER BELT 2 ¼” PLAIN BLACK WITH SILVER BUCKLE, VARIOUS SIZES, STYLE #146-XX-2 MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

55.	50 EA. SAFARILAND DOUBLE MAG. POUCH GLOCK 17 – HIDDEN SNAP, STYLE #77-83-2HS MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

56.	50 EA. SAFARILAND TAPERED BOTTOM HANDCUFF CASE – HIDDEN SNAP, STYLE #190-2HS MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

57.	50 EA. SAFARILAND PUNCH 2OZ. MACE HOLDER HIDDEN SNAP, STYLE #38-2-HS MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

58.	300 EA. SAFARILAND MOLDED BELT KEEPERS FOUR PACK – SILVER SNAP, STYLE #65-4-2 MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 7 – LEATHER GOODS (CONTINUED)

59.	50 EA. BATON/FLASHLIGHT DOUBLE RING PLAIN BLACK LEATHER (HAS TO BE DOUBLE RING FOR BOTH) MFR. & STYLE NO. _____	\$ _____	\$ _____
60.	100 EA. HANDCUFFS – PEERLESS 700 NICKEL CHAINED LINK MFR. & STYLE NO. _____	\$ _____	\$ _____
61.	100 EA. POLICE BATON, 24” HICKORY NIGHT STICK, STYLE #JAY PEE 24H MFR. & STYLE NO. _____	\$ _____	\$ _____
62.	50 EA. LAPD TAPERED GROMMET STYLE #HWC RG-2 MFR. & STYLE NO. _____	\$ _____	\$ _____
63.	150 EA. ARTCRAFT GARRISON BLACK LEATHER BELTS WITH SILVER OR GOLD BUCKLE MFR. & STYLE NO. _____	\$ _____	\$ _____
64.	5 EA. BIANCHI SWAT NYLON GUNBELT STYLE # 8100 MFR. & STYLE NO. _____	\$ _____	\$ _____
65.	5 EA. SAFARILAND SWAT LEG DROP HOLSTER STYLE # 6004-3832-121 MFR. & STYLE NO. _____	\$ _____	\$ _____
66.	20 EA. MOTOROLA SWIVEL RADIO HOLDER STYLE # NNTN4115A MFR. & STYLE NO. _____	\$ _____	\$ _____
67.	5 EA. PEERLESS LEG IRONS – OVERSIZED STYLE # 705 MFR. & STYLE NO. _____	\$ _____	\$ _____
68.	50 EA. ASP 21” AIRWEIGHT BATON STYLE # 52412 MFR. & STYLE NO. _____	\$ _____	\$ _____

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 7 – LEATHER GOODS (CONTINUED)

69.	50 EA. ASP 21” SIDE BREAK SCABBARD STYLE # 52432 MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

TOTAL FOR GROUP NO. 7.....\$ _____

GROUP NO. 8 HARDWARE

70.	50 EA. SMITH & WARREN CUSTOM DIE CAST BREAST BADGE - RHODIUM MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

71.	10 EA. SMITH & WARREN CUSTOM DIE CAST BREAST BADGE – GOLD ELECTRO PLATE MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

72.	10 EA. A7923 BLACKINGTON COMMENDATION BAR – GOLD ELECTRO PLATE MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

73.	25 EA. BLACKINGTON A SERIES COLLAR BRASS W/SAFETY CATCH, SILVER MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

74.	25 EA. BLACKINGTON A SERIES COLLAR BRASS W/SAFETY CATCH, GOLD MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

75.	5 EA. BLACKINGTON A SERIES FOUR STAR COMBO W/SAFETY CATCH, GOLD MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

76.	10 EA. REEVES 08 TWO LINE GOLD NAME BAR W/SAFETY CATCH, GOLD MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

77.	50 EA. HOOKFAST TIE BAR STYLE # TC75 W/889 CUSTOMIZING – “BUFFALO POLICE” W/APPLIED BUFFALO CENTER SEAL MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	---	----------	----------

78.	50 EA. PREMIER 10 PACK OF RUBBER CLUTCHBACKS MFR. & STYLE NO. _____	\$ _____	\$ _____
-----	--	----------	----------

TOTAL FOR GROUP NO. 8.....\$ _____

NAME OF BIDDER _____ PHONE NO. _____

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 9 FOOTWEAR ITEMS

79.	200 PR. BATES MEN'S LOW STYLE BOOT MODEL #2266 OR EQUAL MFR. & STYLE NO. _____	\$ _____	\$ _____
80.	40 PR. BATES WOMENS LOW BOOT MODEL # 2766 OR EQUAL MFR. & STYLE NO. _____	\$ _____	\$ _____
81.	250 PR. MENS BATES HIGH BOOTS MODEL 2488 OR EQUAL MFR. & STYLE NO. _____	\$ _____	\$ _____
82.	100 PR. MENS BATES DRESS SHOES STYLE # 968 MFR. & STYLE NO. _____	\$ _____	\$ _____
83.	100 PR. WOMENS BATES DRESS SHOES STYLE # 769 MFR. & STYLE NO. _____	\$ _____	\$ _____
84.	50 PR. ROCKY WATERPROOF 6" BOOT STYLE # 2167 MFR. & STYLE NO. _____	\$ _____	\$ _____

TOTAL FOR GROUP NO. 9.....\$ _____

GROUP NO. 10 – MISC. ITEMS

85.	150 EA. KEYSTONE 8 POINT CAPS WITH SILVER OR GOLD FLEX BAND & BUTTONS CANE BAND WITH BLACK OVERLAY MFR. & STYLE NO. _____	\$ _____	\$ _____
86.	1280 EA BLAUER MODEL # 8110X BLACK MOCK TURTLENECKS OR EQUAL W/BPD EMBROIDERED ON NECK MFR. & STYLE NO. _____	\$ _____	\$ _____

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 10 – MISC. ITEMS (CONTINUED)

- | | | | |
|-----|---|----------|----------|
| 87. | 260 EA. COBMEX MODEL # MN100
WHITE OR BLACK MOCK TURTLE NECK W/BPD
EMBROIDERED ON NECK
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 88. | 100 EA. 7314 FINGER FASHION, BLACK
LEATHER THINSULATE LINED GLOVES
WITH VELCRO
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 89. | 20 EA. TRU-SPEC M65 FIELD JACKET
W/LINER, BLACK STYLE 2440
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 90. | 20 EA. PROPPER 215 65/35 RIPSTOP LONG
SLEEVE TACTICAL SHIRT, BLACK, STYLE
F5452
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 91. | 20 EA. PROPPER 400 65/35 RIPSTOP BDU
PANT, BLACK & ASSORTED COLORS
(GRAY, KHAKE, ETC.), STYLE F5201
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 92. | 20 EA. HATCH FM2000 BLACK LEATHER
CUT RESISTANT GLOVE
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 93. | 20 EA. HATCH KH1500 KEVALAR TACTICAL
HOOD
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 94. | 10 EA. BERNE APPARELL CH416 BLACK
DUCK INSULATED JACKET, DIRECT
EMBROIDERY
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 95. | 10 EA. 74251-019 TACTICAL 100% COTTON
PANT, BLACK
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 10 – MISC. ITEMS (CONTINUED)

96.	10 EA. TOPPS SS60-1139, T-14 LONG SLEEVE TACTICAL SQUAD SUIT, BLACK / NAVY MFR. & STYLE NO. _____	\$ _____	\$ _____
97.	50 EA. FLEXFIT HAT- PLAIN BLACK OR NAVY YUPONNG, UNIT & NAME EMBROIDERED UP TO 15,000 STITCHES STYLE #6277 MFR. & STYLE NO. _____	\$ _____	\$ _____
98.	150 EA FLEXFIT HAT- BLACK OR NAVY WITH 2 ½” BUFFALO POLICE DEPARTMENT LOGO, YUPONNG, STYLE #6277 MFR. & STYLE NO. _____	\$ _____	\$ _____
99.	5 EA. SOFTSHELL JACKET, FLYING CROSS - NAVY, TO INCLUDE BPD BADGE SEWN ON LEFT SLEEVE, NAMETAG SEWN ON RIGHT, CHEST & RANK BADGE SEWN ON LEFT CHEST, STYLE #54100 MFR. & STYLE NO. _____	\$ _____	\$ _____
100.	50 EA. NAVY ALBOUM TASLAN TROOPER WINTER CAPS OR EQUAL MFR. & STYLE NO. _____	\$ _____	\$ _____
101.	100 EA. ARTEX THINSULATE LINED KNIT HAT STYLE # 4T176BK CUSTOMIZING – PROVIDE AND SEW ON 2.5” BPD EMBLEM MFR. & STYLE NO. _____	\$ _____	\$ _____
102.	50 EA. 100 % POLYESTER BLACK TIES BREAKAWAY STYLE WITH BUTTONHOLE, SIZES 14 1/2 – 20 MFR. & STYLE NO. _____	\$ _____	\$ _____
103.	50 EA. TRAFFIC SAFETY VEST, ANSI 207 PIP-STOP NYLON VEST #PV3339B, HIGH VISIBILITY YELLOW WITH REFLECTIVE “POLICE “ SCREEN ON THE BACK AND FRONT TEAR AWAY SHOULDERS AND SIDES ALL SIZES MFR. & STYLE NO. _____	\$ _____	\$ _____

NAME OF BIDDER _____ PHONE NO. _____
 ADDRESS _____ EMAIL _____
 REMIT TO ADDRESS _____

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 10 – MISC. ITEMS (CONTINUED)

- | | | | |
|------|---|----------|----------|
| 104. | 10 EA. FECHHEIMER BLOUSECOAT MODEL NO. 34891 WITH SEWN-ON BPD PATCH. PRICE TO INCLUDE INSTALLING BPD BUTTONS SUPPLIED BY DEPT.AND PROVIDE AND SEW ON HASHMARKS AND ½ + 1 INCH ROWS OF BLACK BRAID ON BOTH SLEEVES ABOVE MFR OR EQUAL
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 105. | 10 EA. FLYING CROSS # 79900GTXA W/32700A LINER PUBLIC SAFETY JACKET, ALL SIZES BLACK WITH 2 FRONT POLICE PANELS IN YELLOW HI VIZ SCOTCHLITE MATERIAL AND 1 BACK DROP DOWN PANEL WITH POLICE AGAIN IN YELLOW HI VIZ SCOTCHLITE MATERIAL. NO BADGE HOLDER
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 106. | 10 EA MOCEAN ZIP OFF VENTED KNEE BIKE PANTS #2058Z , ALL SIZES HAS TO INCLUDE A 1 INCH REFLECTIVE SCOTCHLITE TAPE SEWN ON BOTH SIDE POCKETS.
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 107. | 10 EA. MOCEAN CODE B JACKET- ROYAL & NAVY #5051AC, ALL SIZES. TO INCLUDE REFLECTIVE SCOTCHLITE LETTERING ON BACK- BOTH LAYERS TO READ BUFFALO POLICE (TOW LIES-EACH 1 INCH IN HEIGHT). TWO BUFFALO POLICE EMBLEMS FURNISHED AND SEWN ON SLEEVES (ONE ON EACH SIDE). TWO BUFFALO POLICE RANK EMBLEMS FURNISHED AND SEWN ON THE FRONT LEFT SIDE (BOTH LAYERS). RANK BADGE EMBLEM SAMPLES CAN BE OBTAINED FROM BPD QUARtermasters OFFICE
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |
| 108. | 50 EA. EDWARDS RAID JACKET STYLE # 3410 BLACK KASHA LINED, ALL SIZES. BACK-SCREENED IN WHITE BUFFALO POLICE (TWO ROWS –LETTERS 3 INCH HIGH), OR –SCREENED IN WHITE BUFFALO CHAPLAIN (TWO ROWS- LETTERS 3 INCH HIGH) FRONT RIGHT SIDE SCREENED IN WHITE POLICE (RUNNING VERTICAL LETTERS ¾ INCH HIGH) BOTH VERSIONS FRONT LEFT SIDE WHITE SCREEN OF BPD BADGE EMBLEM (SAMPLE WILL BE PROVIDED BY BPD).
MFR. & STYLE NO. _____ | \$ _____ | \$ _____ |

TOTAL FOR GROUP NO. 10.....\$ _____

NAME OF BIDDER _____ PHONE NO. _____

GROUP 10 ITEMS #89, 90, 94, 96 THESE ITEMS ARE USED BY VARIOUS UNITS. FOR THE ABOVE ITEMS THE FOLLOWING SPECIAL EMBLEMS AND PATCHES SHOULD BE FURNISHED AND SEWN/EMBROIDERED ON BY THE VENDOR AT NO CHARGE.

GROUP NO. 11 – HONOR GUARDS

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
109.	20 EA. FLYING CROSS STYLE #22P-9985 MARINE CORP DRESS BLUE PANTS WITH 1-1/2” GOLD BRAID RUNNING DOWN SIDES MFR. & STYLE NO. _____	\$ _____	\$ _____
110.	FLYING CROSS STYLE #FE-34891 NAVY BLOUSECOAT WITH BELT HOOKS, TAPER, GOLD CORDEDGE, 1” BLACK BRAID AND HASHMARKS (PROVIDED BY POLICE) SEWN ON MFR. & STYLE NO. _____	\$ _____	\$ _____
111.	18 EA. FLYING CROSS STYLE #FE-34891 NAVY BLOUSECOAT WITH BELT HOOK, TAPER AND HASHMARKS (PROVIDED BY POLICE) SEWN ON MFR. & STYLE NO. _____	\$ _____	\$ _____
112.	2 EA. FLYING CROSS STYLE #45W6600 WHITE L/S SHIRT –CUSTOMIZING IS BUFFALO PD EMBLEM ON BOTH SLEEVES WITH HONOR GUARD ROCKER (SUPPLIED BY BPD) – SEWN ON MFR. & STYLE NO. _____	\$ _____	\$ _____
113.	20 EA. FLYING CROSS STYLE #45W6686 NAVY L/S SHIRT – CUSTOMIZING IS BUFFALO PD EMBLEM WITH HONOR GUARD ROCKER (SUPPLIED BY BPD) MFR. & STYLE NO. _____	\$ _____	\$ _____
114.	20 EA. FLYING CROSS STYLE #45W6686 NAVY L/S SHIRT – CUSTOMIZING IS BUFFALO PD EMBLEM WITH HONOR GUARD ROCKER ABOVE – SEWN ON BOTH SLEEVES. L/S SHIRTS NEED TO BE TAILORED TO SHORT SLEEVES TO ACCOMMODATE TIE. MFR. & STYLE NO. _____	\$ _____	\$ _____

NAME OF BIDDER _____ PHONE NO. _____
 ADDRESS _____ EMAIL _____
 REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 11 – HONOR GUARDS (CONTINUED)

115.	2 EA. FLYING CROSS STYLE #45W6600 WHITE S/S SHIRT – SAME CUSTOMIZING AS WHITE L/S SHIRTS BUT CUT TO SHORT SLEEVES MFR. & STYLE NO. _____	\$ _____	\$ _____
116.	20 EA. FLEX FIT NAVY HAT STYLE #6277-DNV CUSTOMIZING IS – BPD EMBROIDERED DIAGONALLY IN SILVER OR GOLD ON FRONT OF HAT MFR. & STYLE NO. _____	\$ _____	\$ _____
117.	20 EA. BATES BLACK SHOES STYLE #942 MFR. & STYLE NO. _____	\$ _____	\$ _____
118.	20 EA. ROCKY BLACK BOOT STYLE #2080 – ALL LEATHER 8” BOOT MFR. & STYLE NO. _____	\$ _____	\$ _____
119.	20 EA. JAY PEE STRAP STYLE # JP-1435 – HONOR GUARD LEATHER SHOULDER STRAP MFR. & STYLE NO. _____	\$ _____	\$ _____
120.	20 EA. JAY PEE D-RING STYLE # JP-54428- D RINGS FOR HONOR GUARD SHOULDER STRAP MFR. & STYLE NO. _____	\$ _____	\$ _____
121	20 EA. SAFARILAND DRESS GUNBELT STYLE # 875– SAM BROWNE BELT – GOLD OR SILVER BUCKLE MFR. & STYLE NO. _____	\$ _____	\$ _____
122	5 EA. BLACKINTON B617 HONOR GUARD HAT BADGE, GOLD ELECTRO PLATE MFR. & STYLE NO. _____	\$ _____	\$ _____
123.	50 EA. BLACKINTON B774 HONOR GUARD COLLAR BRASS, GOLD ELECTRO PLATE MFR. & STYLE NO. _____	\$ _____	\$ _____
124.	5 EA. HOOKFAST TC826 HONOR GUARD TIE BAR WITH APPLIED EMBLEM, GOLD MFR. & STYLE NO. _____	\$ _____	\$ _____

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	QUANTITY & DESCRIPTION	PRICE EACH	TOTAL
----------	------------------------	------------	-------

GROUP NO. 11 – HONOR GUARDS (CONTINUED)

125.	5 EA. BLACKINTON BC1310 HONOR GUARD BREAST BADGE, GOLD ELECTRO PLATE MFR. & STYLE NO. _____	\$ _____	\$ _____
126.	300 EA. BLACK 1 INCH WIDE STRECH ELASTIC MOURNING BANDS FOR POLICE BADGE MFR. & STYLE NO. _____	\$ _____	\$ _____
127.	10 EA. GOULD AND GOODRICH HONOR GUARD HOLSTER STYLE # K338 MFR. & STYLE NO. _____	\$ _____	\$ _____

TOTAL FOR GROUP NO. 11.....\$ _____

GROUP NO. 12, REPLACEMENTS FOR DISCONTINUED ITEMS. CLASS A & CLASS B UNIFORM. TO BE USED IF 511 CLASS B OR ELBECO CLASS A UNIFORM IS DISCONTINUED. QUOTE ONE EACH. DO NOT INCLUDE IN GRAND TOTAL. BIDDER MUST BE AWARE THAT, IF NEEDED, THESE ITEMS WOULD BE REQUIRED ON SHORT NOTICE. BIDS FOR ITEMS IN GROUP #12 SHOULD INCLUDE ALL CUSTOMIZATIONS (BADGES, NAMETAGS, ETC.) THAT THE CURRENT 511 AND ELBECO ITEMS HAVE.

ITEM NO.	DESCRIPTION	PRICE EACH
----------	-------------	------------

CLASS "A" NAVY

128.	FLYING CROSS WOMEN'S L/S SHIRT, MODEL #107W8486 MFR. & STYLE NO. _____	\$ _____
129.	FLYING CROSS WOMEN'S S/S SHIRT, MODEL #157R8486 MFR. & STYLE NO. _____	\$ _____
130.	FLYING CROSS WOMEN'S TROUSERS, MODEL #47290 MFR. & STYLE NO. _____	\$ _____
131.	FLYING CROSS MEN'S L/S SHIRT, MODEL #07W8486 MFR. & STYLE NO. _____	\$ _____

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO.	DESCRIPTION	PRICE EACH
----------	-------------	------------

CLASS "A" NAVY (CONTINUED)

132.	FLYING CROSS MEN'S S/S SHIRT, MODEL #57R8486 MFR. & STYLE NO. _____	\$ _____
------	--	----------

133.	FLYING CROSS MEN'S TROUSERS, MODEL #47280 MFR. & STYLE NO. _____	\$ _____
------	---	----------

CLASS "A" WHITE

134.	FLYING CROSS WOMEN'S L/S SHIRT, MODEL #102W6600 MFR. & STYLE NO. _____	\$ _____
------	---	----------

135.	FLYING CROSS WOMEN'S S/S SHIRT, MODEL #152R6600 MFR. & STYLE NO. _____	\$ _____
------	---	----------

136.	FLYING CROSS MEN'S L/S SHIRT, MODEL #45W6600 MFR. & STYLE NO. _____	\$ _____
------	--	----------

137.	FLYING CROSS MEN'S S/S SHIRT, MODEL #95R6600 MFR. & STYLE NO. _____	\$ _____
------	--	----------

CLASS "B" NAVY

138.	CLASS B 5.11 MEN'S STRYKE L/S SHIRTS NAVY – STYLE # 72074 MFR. & STYLE NO. _____	\$ _____
------	---	----------

139.	CLASS B 5.11 LADIES STRYKE L/S SHIRTS NAVY – STYLE # 71038 MFR. & STYLE NO. _____	\$ _____
------	--	----------

140.	CLASS B 5.11 MEN'S STRYKE S/S SHIRTS NAVY – STYLE # 62010 MFR. & STYLE NO. _____	\$ _____
------	---	----------

141.	CLASS B 5.11 LADIE'S STRYKE S/S SHIRTS NAVY – STYLE # 61018 MFR. & STYLE NO. _____	\$ _____
------	---	----------

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

ITEM NO. DESCRIPTION PRICE EACH

CLASS "B" NAVY (CONTINUED)

142. CLASS B 5.11 MEN'S TROUSERS
 STYLE # 74427
 MFR. & STYLE NO. _____ \$ _____

143. CLASS B 5.11 LADIES TROUSERS
 STYLE # 64402
 MFR. & STYLE NO. _____ \$ _____

TOTAL FOR GROUP NO. 12.....\$ _____

ITEM NO. QUANTITY & DESCRIPTION PRICE EACH TOTAL

GROUP NO 13 ALTERATIONS TO DEPARTMENT OWNED GARMENTS:

PANTS 40 EA. HEM PANTS \$ _____ \$ _____
 40 EA. ADJUST WAIST ON PANTS \$ _____ \$ _____

SHIRTS 30 EA. CONVERT L/S SHIRT TO S/S \$ _____ \$ _____
 10 EA. SHORTEN SLEEVES \$ _____ \$ _____
 100 EA. SEWN-IN CREASES \$ _____ \$ _____
 100 EA. PROVIDE AND SEW ON NAMETAGS \$ _____ \$ _____
 100 EA. PROVIDE AND SEW ON SPECIAL UNIT BADGES (K-9, AIU) \$ _____ \$ _____
 100 EA/ LOOSE EMBLEMS/PATCHES \$ _____ \$ _____

BLOUSECOATS 25EA. BRAID FOR PROMOTION BLOUSECOATS \$ _____ \$ _____

MISC. 20 EA. SILK SCREENING \$ _____ \$ _____
 20 EA. EMBROIDERY \$ _____ \$ _____

TOTAL FOR GROUP NO. 13.....\$ _____

PRICES QUOTED SHALL INCLUDE DELIVERY AND ALL REQUIREMENTS OF SPECIFICATIONS.

TOTAL BID PRICE \$ _____

*DO NOT INCLUDE GROUP 12 IN TOTAL BID PRICE.

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

DELIVERY SHALL BE WITHIN _____ DAYS AFTER RECEIPT OF PURCHASE ORDER.

LOCATION OF TAILORING FACILITY _____

PLEASE VERIFY THAT THE WHITE SHIRT NAME TAGS IN BLUE TREAD WILL BE DONE IN COLORFAST TREAD: Yes _____ No _____

ALL REQUIRED SUBMITTALS, ITEMS 3, 14, 18, 19 AND 20 (ON PAGES NO. 8, 11, & 12) ARE TO BE INCLUDED WITH BID.

ADDITIONAL ITEMS THAT MUST BE RETURNED WITH BID:

- FORMS 2A AND 2B, FILLED OUT
- BID SURETY
- LETTER CERTIFYING AVAILABILITY OF LOCAL SEWING FACILITIES WITH HOURS OF OPERATION.

CONTRACT PERIOD FROM DATE JULY 1, 2017 TO JUNE 30, 2018, MAY BE RENEWED YEARLY FOR FOUR (4) YEARS, IF AGREEABLE TO BOTH PARTIES.

NAME OF BIDDER _____ PHONE NO. _____

ADDRESS _____ EMAIL _____

REMIT TO ADDRESS _____

This form must be completed and submitted as stipulated in the specifications, either TYPEWRITTEN OR PRINTED IN INK.

CASH DISCOUNT (IF ANY) TO BE DEDUCTED _____ % IN THIRTY (30) DAYS.

We attach hereto Bid Bond, Certified Check, Bank Draft or Letter of Credit in the amount required by the specifications.

THIS PROPOSAL IS FAIR IN EVERY RESPECT AND NO OFFICER OF THE CITY OF BUFFALO IS DIRECTLY OR INDIRECTLY INTERESTED IN SAID PROPOSAL, OR IN THE WORK TO WHICH IT RELATES, OR IN ANY PORTION OF THE PROFITS, excluding profits which may accrue as a stockholder, provided that as such stockholder he does not have supervision, control, or direction of said corporation and that he did not participate in the calculation, submission or preparation of this bid.

THIS PROPOSAL IS TENDERED BY (A) (AN) CORPORATION _____ PARTNERSHIP _____ INDIVIDUAL _____

PARTNERS CONSTITUTING _____ PARTNERSHIP _____

INCORPORATED IN WHAT STATE, IF CORPORATION? _____

IF FOREIGN CORPORATION, STATE IF AUTHORIZED TO DO BUSINESS IN NEW YORK STATE _____

<u>* CORPORATE OFFICERS' NAMES</u>	<u>TITLES</u>	<u>ADDRESSES</u>
_____	_____	_____
_____	_____	_____

<u>* PRINCIPAL STOCK HOLDERS</u>			
<u>NAMES</u>	<u>ADDRESSES</u>	<u>NAMES</u>	<u>ADDRESSES</u>
_____	_____	_____	_____
_____	_____	_____	_____

* Note: This information is not required from nationally known corporations.

NON-COLLUSION CERTIFICATION

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of knowledge and belief:

(1) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;

(2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor;

(3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit a bid for the purpose of restricting competition.

FIRM OR CORPORATION NAME _____

PRINCIPAL ADDRESS _____
STREET _____
CITY STATE ZIP CODE _____

SIGNATURE OF INDIVIDUAL, PARTNERS OR OFFICERS

TITLE (TYPE OR PRINT NAME ABOVE)

TITLE (TYPE OR PRINT NAME ABOVE)

FORM 2A – BIDDERS AFFIRMATIVE ACTION STATEMENT

The _____
(Company Name)

hereby states that we will make good faith efforts to ensure a diverse workforce and minority business participation for this proposal/bid in accordance with the City of Buffalo Charter, Chapter 96, Bonds and Contracts.

We will work toward a minority workforce goal of 25%, and woman workforce goal of 5%. In addition, we will work toward a business utilization goal for minority business enterprise of 25% and woman business enterprise of 5%.

(Signature of Authorized representative of Bidder)

Date _____

BIDS/PROPOSALS FAILING TO INCLUDE OR COMPLETE ANY OF THE ABOVE ITEMS WILL BE CONSIDERED NON-RESPONSIVE AND WILL NOT BE ACCEPTED.

EEO-2A

(MWBE SUBCONTRACTOR UTILIZATION)

Form 2B CITY OF BUFFALO MINORITY / WOMEN'S BUSINESS UTILIZATION REPORT

Name of Project: POLICE UNIFORMS				City of Buffalo Mayor's Office of Contract Compliance 1701 City Hall, Buffalo, New York 14202						
Date: 5/19/17										
1.	2.	3.	4.	5.		6.	7.	8.		
Name of Contractor	Contract Amount	City of Buffalo Business	Section 3 Business	Competitive		MBE	WBE	Specify the Type of Work		
				YES	NO			Construction	Supplies	Services